

Accreditation and Quality Assurance

Journal for Quality, Comparability and Reliability in Chemical Measurement



Volume 14 Number 3 March 2009

EDITORIAL

De Bièvre P: What is our best measurand when measuring “something” in “something”? **121**

GENERAL PAPERS

Jewell K, Leach H, Baylis C: Reproducibility estimates from single-laboratory ruggedness tests compared with those derived from collaborative trials of six microbiological measurement methods **123**

Brown RJC, Brewer PJ, Brett DJL: Long-term equilibrium potential and electrochemical impedance study of Ag/AgCl electrodes used in Harned Cell measurements of pH **139**

PRACTITIONER'S REPORTS

Thompson M, Coles BJ: Examples of the ‘characteristic’ function applied to instrumental precision in chemical measurement **147**

Wong YC, Sin DWM, Yip YC, Valiente L, Toervenyi A, Wang J, Labarraque G, Gupta P, Soni D, Surmadi, Hwang E, Yafa C, Cankur O, Uysal E, Turk G, Huertas R: International comparison of the determination of cadmium and lead in herb: the Comité Consultatif pour la Quantité de Matière (CCQM) pilot study CCQM-P97 **151**

DISCUSSION FORUM

Deldossi L, Zappa D: ISO 5725 and GUM: comparison and comments **159**

INTERNATIONAL BODIES

Taylor P, Bulska E, Duta S, Majcen N, Vassileva E: TrainMiC®: a programme for life-long learning in metrology in chemistry **167**

CALENDAR OF EVENTS

Congress, conferences, workshops and courses **175**

FORTHCOMING ARTICLES IN PRINT

published online and citable with the DOI (Digital Object Identifier) can be found at springerlink.com

Indexed in/abstracted by *Chemical Abstracts and Sci Search®*, *Research Alert®*, *Chemistry Citation Index®*