


WOODHEAD PUBLISHING IN TEXTILES



Nanofibers and nanotechnology in textiles

Edited by P. J. Brown and K. Stevens



The Textile Institute

WP

Nanofibers and nanotechnology in textiles

Edited by

P. J. Brown and K. Stevens



The Textile Institute



CRC Press

Boca Raton Boston New York Washington, DC

WOODHEAD PUBLISHING LIMITED

Cambridge, England

Contents

Contributor contact details

xiii

Part I Nanofiber production

1	Electrospinning of nanofibers and the charge injection method	3
	D. R. SALEM, Charge Injection Technologies Inc., USA	
1.1	Introduction	3
1.2	Principles of electrostatic atomization	3
1.3	Electrospraying and electrospinning by the capillary method	5
1.4	Electrospraying and electrospinning by the charge injection method	12
1.5	References	20
2	Producing nanofiber structures by electrospinning for tissue engineering	22
	F. K. KO, The University of British Columbia, Canada and M. R. GANDHI, Drexel University, USA	
2.1	Introduction	22
2.2	Fabrication of nanofibrous scaffolds	28
2.3	Characterization of nanofibrous scaffolds	30
2.4	Cell-scaffold interaction	36
2.5	Summary and conclusion	42
2.6	Acknowledgments	43
2.7	References	43
3	Continuous yarns from electrospun nanofibers	45
	E. SMIT, U. BÜTTNER and R. D. SANDERSON, Stellenbosch University, South Africa	
3.1	Introduction	45

vi	Contents	
3.2	Using electrospun nanofibers: background and terminology	45
3.3	Controlling fiber orientation	48
3.4	Producing noncontinuous or short yarns	49
3.5	Producing continuous yarns	52
3.6	Summary and future trends	66
3.7	Sources of further information and advice	67
3.8	References	68
4	Producing polyamide nanofibers by electrospinning	71
	M. AFSHARI, R. KOTTEK and A. E. TONELLI, North Carolina State University, USA and D.-W. JUNG, Hyosung Corporation, South Korea	
4.1	Introduction	71
4.2	The electrospinning process	71
4.3	Properties of electrospun nanofibers	73
4.4	Measuring the effects of different spinning conditions and the use of high molecular weight polymers on the properties of electrospun nanofibers	75
4.5	Improving the properties of electrospun nanofibers: experimental results	77
4.6	Conclusions	85
4.7	References	87
5	Controlling the morphologies of electrospun nanofibres	90
	T. LIN and X. G. WANG, Deakin University, Australia	
5.1	Introduction	90
5.2	The electrospinning process and fibre morphology	91
5.3	Polymer concentration and fibre diameter	93
5.4	Fibre bead formation and fibre surface morphology	96
5.5	Controlling fibre alignment and web morphologies	100
5.6	Bicomponent cross-sectional nanofibres	103
5.7	Future trends	107
5.8	Acknowledgements	108
5.9	References	108
Part II	Carbon nanotubes and nanocomposites	111
6	Synthesis, characterization and application of carbon nanotubes: the case of aerospace engineering	113
	M. REGI, University of Rome 'La Sapienza', Italy	
6.1	Introduction	113

6.2	The development and structure of carbon nanotubes	115
6.3	Synthesis of carbon nanotubes	124
6.4	Characterization techniques	140
6.5	Purification techniques	152
6.6	The use of carbon nanotubes in aerospace engineering	157
6.7	Nanostructured composite materials for aerospace applications	162
6.8	Nanostructured solid propellants for rockets	170
6.9	Frequency selective surfaces for aerospace applications	175
6.10	Other aerospace applications of carbon nanotubes	182
6.11	Conclusions	184
6.12	Acknowledgments	184
6.13	References	185
7	Carbon nanotube and nanofibre reinforced polymer fibres	194
	M. S. P. SHAFFER, Imperial College London, UK and J. K. W. SANDLER, University of Bayreuth, Germany	
7.1	Introduction	194
7.2	Synthesis and properties of carbon nanotubes	197
7.3	Developing nanotube/nanofibre-polymer composites	201
7.4	Adding nanotubes and nanofibres to polymer fibres	206
7.5	Analysing the rheological properties of nanotube/nanofibre-polymer composites	208
7.6	Analysing the microstructure of nanotube/nanofibre-polymer composites	212
7.7	Mechanical, electrical and other properties of nanocomposite fibres	216
7.8	Future trends	221
7.9	References	222
8	Structure and properties of carbon nanotube-polymer fibers using melt spinning	235
	R. E. GORGA, North Carolina State University, USA	
8.1	Introduction	235
8.2	Producing carbon nanotube-polymer fibers	236
8.3	Thermal characterization	237
8.4	Fiber morphology	238
8.5	Mechanical properties of fibers	245
8.6	Conclusions and future trends	251
8.7	Sources of further information and advice	252
8.8	Acknowledgments	252
8.9	References	253

viii	Contents	
9	Multifunctional polymer nanocomposites for industrial applications	256
	S. J. BULL, University of Newcastle, UK	
9.1	Introduction	256
9.2	The development of functional polymer nanocomposites	257
9.3	Improving the mechanical properties of polymer nanocomposites	258
9.4	Improving the fire-retardant properties of polymer nanocomposites	260
9.5	Improving the tribological properties of polymer nanocomposites	262
9.6	Case-study: development of a nanocomposite sliding seal ring	265
9.7	Enhancing the functionality of polymer nanocomposites	273
9.8	Conclusions	275
9.9	Acknowledgements	275
9.10	References	275
10	Nanofilled polypropylene fibres	281
	M. SFILIGOJ SMOLE and K. STANA KLEINSCHKE, University of Maribor, Slovenia	
10.1	Introduction	281
10.2	Polymer layered silicate nanocomposites	282
10.3	The structure and properties of layered silicate polypropylene nanocomposites	284
10.4	Nanosilica filled polypropylene nanocomposites	289
10.5	Calcium carbonate and other additives	291
10.6	Conclusion	293
10.7	References	293
	Part III Improving polymer functionality	299
11	Nanostructuring polymers with cyclodextrins	301
	A. E. TONELLI, North Carolina State University, USA	
11.1	Introduction	301
11.2	Formation and characterization of polymer-cyclodextrin-inclusion compounds	302
11.3	Properties of polymer-cyclodextrin-inclusion compounds	304
11.4	Homo- and block copolymers coalesced from their cyclodextrin-inclusion compounds	308
11.5	Constrained polymerization in monomer-cyclodextrin-inclusion compounds	310

11.6	Coalescence of common polymer-cyclodextrin-inclusion compounds to achieve fine polymer blends	311
11.7	Temporal and thermal stabilities of polymers nanostructured with cyclodextrins	312
11.8	Cyclodextrin-modified polymers	313
11.9	Polymers with covalently bonded cyclodextrins	314
11.10	Conclusions	316
11.11	References	316
12	Dyeable polypropylene via nanotechnology	320
	Q. FAN and G. MANI, University of Massachusetts Dartmouth, USA	
12.1	Introduction	320
12.2	Dyeing techniques for unmodified polypropylene	321
12.3	Modified polypropylene for improved dyeability using copolymerization and other techniques	323
12.4	Polyblending and other techniques for improving polypropylene dyeability	324
12.5	Dyeing polypropylene nanocomposites	326
12.6	Using X-ray diffraction analysis and other techniques to assess dyed polypropylene nanocomposites	334
12.7	Conclusions	345
12.8	Acknowledgments	346
12.9	References	346
13	Polyolefin/clay nanocomposites	351
	R. A. KALGAONKAR and J. P. JOG, National Chemical Laboratory, India	
13.1	Introduction	351
13.2	Organomodification of clays	354
13.3	Polymer/clay nanocomposites	356
13.4	Polypropylene/clay nanocomposites	360
13.5	Polyethylene/clay nanocomposites	367
13.6	Higher polyolefin/clay nanocomposites	372
13.7	Conclusions	374
13.8	References	381
14	Multiwall carbon nanotube-nylon-6 nanocomposites from polymerization	386
	Y. K. KIM and P. K. PATRA, University of Massachusetts Dartmouth, USA	
14.1	Introduction	386
14.2	Nanocomposite synthesis and production	387
14.3	Characterization techniques	388

14.4	Properties of multiwall carbon nanotube-nylon-6 nanocomposite fibers	391
14.5	Conclusions	404
14.6	Acknowledgments	405
14.7	References	406
Part IV Nanocoatings and surface modification techniques		407
15	Nanotechnologies for coating and structuring of textiles	409
	T. STEGMAIER, M. DAUNER, V. VON ARNIM, A. SCHERRIEBLE, A. DINKELMANN and H. PLANCK, ITV Denkendorf, Germany	
15.1	Introduction	409
15.2	Production of nanofiber nonwovens using electrostatic spinning	410
15.3	Anti-adhesive nanocoating of fibers and textiles	417
15.4	Water- and oil-repellent coatings by plasma treatment	418
15.5	Self-cleaning superhydrophobic surfaces	421
15.6	Sources of further information and advice	427
15.7	References	427
16	Electrostatic self-assembled nanolayer films for cotton fibers	428
	G. K. HYDE and J. P. HINESTROZA, Cornell University, USA	
16.1	Introduction	428
16.2	Principles of electrostatic self-assembly for creating nanolayer films	428
16.3	Advantages and disadvantages of electrostatic self-assembly	431
16.4	Substrates used for electrostatic self-assembly	432
16.5	Polyelectrolytes used for electrostatic self-assembly	434
16.6	Analyzing self-assembled nanolayer films on cotton	436
16.7	Conclusions: functional textiles for protection, filtration and other applications	439
16.8	References	440
17	Nanofabrication of thin polymer films	448
	I. LUZINOV, Clemson University, USA	
17.1	Introduction	448
17.2	Macromolecular platform for nanofabrication	449
17.3	'Grafting from' technique for synthesis of polymer films	451
17.4	'Grafting to' technique for synthesis of polymer films	455

17.5	Synthesis of smart switchable coatings	458
17.6	Synthesis of ultrahydrophobic materials	464
17.7	Conclusions	466
17.8	Acknowledgments	466
17.9	References	467
18	Hybrid polymer nanolayers for surface modification of fibers	470
	S. MINKO and M. MOTORNOV, Clarkson University, USA	
18.1	Introduction: smart textiles via thin hybrid films	470
18.2	Mechanisms of responsive behavior in thin polymer films	471
18.3	Polymer-polymer hybrid layers	478
18.4	Polymer-particles hybrid layers	484
18.5	Hierarchical assembly of nanostructured hybrid films	485
18.6	Future trends	489
18.7	Sources of further information and advice	490
18.8	Acknowledgment	490
18.9	References	490
19	Structure-property relationships of polypropylene nanocomposite fibres	493
	C. Y. LEW, University of Oxford, UK and G. M. McNALLY, Queen's University Belfast, UK	
19.1	Introduction	493
19.2	Materials, processing and characterisation techniques	495
19.3	Structure and morphology	497
19.4	Phase homogeneity and spinline stability	502
19.5	Optical birefringence and infrared activation	505
19.6	Crystallisation behaviour and mechanical performance	509
19.7	Exfoliation by extensional flow deformation	513
19.8	Conclusions	514
19.9	References	515
	<i>Index</i>	519

- absorbent properties of carbon nanotubes 183–4
- acid dyes 339–43
- active nanostructured hybrid films 485–9
- adsorption properties of carbon nanotubes 183
- aerosols 420–1
- aerospace industry 157–84
 - frequency selective surface (FSS) areas 176–82
 - manufacture of nanocomposites 160–1, 162–3
 - rocket propellants 172–5
- AFM (atomic force microscopy) 142, 149, 436
- agent curing of carbon nanotubes 163
- alignment control 100–3
- allografts 23
- alumina nanoparticle-filled polypropylene 292
- anti-adhesive nanocoatings 417
- applications of nanomaterials 45–6, 113–14, 115
 - aerospace industry 157–84
 - carbon nanotubes 122–4, 125
- arc discharge synthesis 126–32
 - arc stability 128
 - hetero-electrode configuration 127–8
 - homo-electrode configuration 127, 130–1
 - parameter changes 130
 - water immersed method 131
- atom transfer radical polymerization (ATRP) 451, 453–5
- atomic force microscopy (AFM) 142, 149, 436
- ball milling 330
- beaded fibers 73, 81–3, 96–9
- beam guns 19
- bentonite 352
- bicomponent cross-sectional nanofibers 103–7
- binary brushes 479
- biosensors 184
- block-copolymer brushes 477–8
- block-copolymer coalescence 308–10
- bromoacetic acid (BAA) 451–5
- calcium carbonate fillers 291
- calibration phase of characterization 144
- capillary electrospinning 8, 9, 13
- carbon black fillers 291–2
- carbon nanofibres 196–7
- carbon nanotubes 30, 36–8, 113–84, 235–6
 - adsorption/absorbent properties 183–4
 - agent curing quantities 163
 - applications 122–4, 125
 - characterization techniques 140–51, 202, 388–91
 - costs of production 124
 - defects 136, 195
 - development 115–17
 - electrical behaviour 122
 - frequency selective surface (FSS) areas 176–82
 - functionalization 159
 - geometric parameters 119–22, 194–5
 - load transfer mechanisms 163
 - manufacturing of nanocomposites 160–1, 162–3
 - matrix de-gassing 163

- mixing procedure 163
- multiwall configuration (MWNT) 118, 195, 199–200
 - nylon-6 nanocomposites 386–405
- in nanocomposites 257–8, 260, 264, 387
- nondestructive testing (NDT) 169
- properties 160, 197–200, 235, 386
- purification techniques 152–7
- research activities 159
- single-wall configuration (SWNT) 117, 118, 195, 199–200
- structure 118–24
- synthesis 124–40, 197–200, 387–8
 - arc discharge 126–32
 - chemical vapour deposition (CVD) 135–40
 - laser ablation 132–5
 - process parameters 125, 158
- see also* aerospace industry
- catalyst support 183
- catalytic CVD 136–8
- cation exchange capacity (CEC) 353, 355
- cationic dyes 323–4
- cell-scaffold interaction 36–42
- cells for seeding scaffolds 23
- centrifuge spinning 415–16
- ceramic reinforced composites 170
- chain formation 394
- characterization techniques 36, 202, 495–7
 - atomic force microscopy (AFM) 142, 149
 - calibration phase 144
 - chemical vapour deposition (CVD) 140–51
 - cyclodextrins 302–4
 - differential scanning calorimetry 390
 - energy dispersion X-ray (EDX) 142, 146–9
 - multiwall carbon nanotube-nylon-6 nanocomposites 388–91
 - non-isothermal crystallization kinetics 390
 - optical laser microscopy 142, 144–5
 - optical microscopy 142, 144
 - Raman spectroscopy 142, 149–51, 214–15
 - results evaluation 144
 - sample preparation 143
 - scanning electron microscopy (SEM) 142, 146, 388–9
 - tensile testing 390–1
 - transmission electron microscopy (TEM) 142, 146, 436–7
- charge injection electrospinning 12–19
- chemical etching 153–4
- chemical force microscopy 182–3
- chemical modification of polypropylene 323–4
- chemical sensors 183
- chemical vapour deposition (CVD) 135–40, 197–8
 - characterization techniques 140–51
 - configurations 136–8
 - defects 136
 - free-standing nanotube growth 136, 138
 - parameters 135–6
 - patterns of nanotube growth 136
 - time scales 136
- chitosan attachment 325
- clay nanocomposites *see* polymer-clay nanocomposites
- co-electrospinning effect 37–8
- coalescence of guest polymers 303–4
- compatibilization issues 359–60
- concentration of polymers 93–6
- cone-jet electrospraying 6, 8, 92
- conformational strain relief 305–6
- conical collector yarn 58
- conjugate electrospinning yarn 64
- constrained polymerization 310–11
- continuous yarn production 45–67, 102
 - conical collector yarn 58
 - conjugate electrospinning yarn 64
 - core-spun yarn 55
 - filament yarn 56
 - future trends 66–7
 - gap alignment effect 49, 51–2
 - gap-separated rotating rod yarn 62–4
 - grooved belt collector yarn 60–2
 - information and advice 67
 - multi-collector yarn 55
 - noncontinuous (short) yarns 49–52
 - orientation of fibers 47, 48–9, 100–3
 - patented processes 52–3
 - rotating collector method 50–1

- rotating dual-collector yarn 54–5
- self-assembled yarn 56–8
- spin bath collector yarn 58–60
- spinning onto rapidly rotating surfaces 48
- staple fiber yarn 48, 56
- twisted nonwoven web yarn 60
- vortex bath collector yarn 62
- copolymer coalescence 308–10
- copolymerization techniques 323–4
- core-sheath nanofibers 104, 105–6
- core-spun yarn 48, 55
- corona discharge effect 19
- costs
 - of carbon nanotube production 124
 - of nanomaterials 114–15
- cotton fibers 436–9
- covalently bonded cyclodextrins 314–15
- crystalline packing 306–7
- crystallinity of polymer fibres 238
- crystallisation behaviour 509–11
- crystallite thickness calculations 336
- crystallization characteristics 396–7
- CVD *see* chemical vapour deposition (CVD)
- cyclodextrins 301–16
 - coalescence of guest polymers 303–4
 - constrained polymerization 310–11
 - copolymer coalescence 308–10
 - covalently bonded cyclodextrins 314–15
 - crystalline packing 306–7
 - electrostatic interactions 304–5
 - exclusion of cavity-bound, high energy water 306
 - fine polymer blends 311–12
 - formation and characterization 302–4
 - hydrogen bonding 305
 - hydrophobic interactions 305
 - nano-threading of polymers 307–8
 - and polymer modification 313–14
 - polymer temporal and thermal stability 312–13
 - properties of CD-ICs 304–8
 - relief of conformational strain 305–6
 - van der Waals interactions 305
- Daumas-Herold model 335–6
- Decher, Gero 428–9
- defects in carbon nanotubes 136, 195
- delaminated structures 356
- dendrimers 325–6
- denier 48
- Denkendorf quality mark 426
- diameter of fibers 71, 81–5
- differential scanning calorimetry 238, 390
- differential thermal analysis (DTA) 155–6
- dispersability of carbon nanotubes 143
- disperse dyes 339–43
- dispersion mechanisms 201–3, 392–6
- DSC analysis 394–6
- dyeable polypropylene 320–46
 - acid dyes 339–43
 - ball milling 330
 - chemical modification 323–4
 - chitosan attachment 325
 - copolymerization techniques 323–4
 - crystallite thickness calculations 336
 - dendrimers 325–6
 - disperse dyes 339–43
 - light fastness 344
 - and nanoclay particles 326, 327–8, 334, 345–6
 - nanocomposite polypropylenes 326–34
 - mechanisms of dyeing 329
 - particle size reduction 330
 - plasma treatments 324–5
 - polyblending 324–6
 - receptor additives 322
 - spin coloration 321
 - and supercritical fluids 325
 - techniques for dyeing 321–2
 - transmission electron microscopy 337–8
 - ultrasonication 330–2
 - visual analysis 338–43
 - wash fastness 343–4
 - X-ray diffraction analysis 334–45
- dynamic mechanical analysis 248–50
- elasticity behaviour 9, 259
- electrical properties 219–20
 - of carbon nanotubes 122
 - of polymer composites 205

- electrohydrodynamic (EHD) atomisation
 - 5-6, 12
- electron beam guns 19
- electrophoresis 157
- electrospinning and electrospaying 3-19, 76, 410-17
 - capillary electrospinning 8, 9, 13
 - charge injection method 12-19
 - cone-jet electrospaying 6, 8, 92
 - and elasticity 9
 - electrostatic atomisation 3-5
 - history of 52-3
 - jet break-up modes 6-7
 - morphology of electrospun nanofibers 76, 90-108
 - multi-jet mode 10
 - orientation of fibers 47, 48-9, 100-3
 - output limitations 9-11, 66-7
 - polymer solution fibers 8
 - process and operating modes 5-9, 27-8, 71-3, 91-3
 - spinning conditions effects 75-7
 - viscosity limitations 11-12
 - see also* continuous yarn production
- electrostatic atomisation 3-5
- electrostatic interactions 304-5
- electrostatic self-assembled nanolayer films 428-40
 - advantages and disadvantages 431-2
 - on cotton fibers 436-9
 - deposition conditions 430-1
 - Langmuir-Blodgett (LB)
 - technique 428
 - polyelectrolytes 434-6
 - polymer use 433
 - principles 428-31
 - substrates 432-4
 - surface modification techniques 434
- electrostatic spinning 410-15, 416-17
- elongational properties 210-12
- energy dispersion X-ray (EDX) 142, 146-9
- ethylene-vinyl acetate copolymer-clay nanocomposites 374
- exclusion of cavity-bound, high energy water 306
- exfoliation 356, 513-14
- extensional flow deformation 513-14
- fiber spinning 409
 - fibers, definition 47
 - field emission devices 183
 - filament yarn 48
 - filaments 47
 - filter media 410
 - fine polymer blends 311-12
 - fire-retardant properties 260-2, 288
 - fluoro-carbon coatings 417
 - free-standing nanotube growth 136, 138
 - frequency selective surface (FSS)
 - areas 176-82
 - friction coefficient
 - measurements 268-70
 - friction modifiers 262-3
 - fullerene family 115-16, 152, 194
 - functionality enhancements 159, 273-5
 - gap alignment effect 49, 51-2
 - gap-separated rotating rod yarn 62-4
 - gas plasma treatments 324-5
 - gas separation applications 183
 - geometric parameters of carbon nanotubes 119-22, 194-5
 - glow discharge gas plasma treatments 324-5
 - graft copolymers 323
 - grafting from techniques 451-5, 478-80
 - grafting to techniques 455-8, 478-80
 - grooved belt collector yarn 60-2
 - Herman's orientation factor 242-4
 - hetero-electrode configuration 127-8
 - hierarchical assembly 485-9
 - high molecular weight polymers 75-7
 - high-density polyethylene-clay nanocomposites 370-1
 - hollow nanofibers 105-6
 - homo-copolymer coalescence 308-10
 - homo-electrode configuration 127, 130-1
 - homogeneity of carbon nanotubes 143
 - homopolymer brushes 474
 - hot filament CVD 136-8
 - hydrogen bonding 305
 - hydrophobic interactions 305
 - hyperbranched polymer 325
 - in situ* polymerization 357-8
 - infrared activation 507-9

- intercalated structures 257, 356
- isotactic polypropylenes 284–5, 320
- jet break-up modes 6–7
- Langmuir-Blodgett (LB) technique 428
- laser ablation 132–5
- layered silica clay minerals 352–3
- light fastness 344
- linear low-density polyethylene-clay nanocomposites 368–70
- load transfer mechanisms 163
- Lotus-Effect surfaces 421–2, 464
- macroinitiator synthesis 451–2
- manufacturing
 - multiwall carbon nanotube-nylon-6 nanocomposites 388
 - nanocomposites 160–1, 162–3
 - polymer fibres 207–8, 236–7
- matrix de-gassing 163
- matrix of polymer composites 214–16, 236
- mechanical properties
 - carbon nanotubes 198–200
 - multiwall carbon nanotube-nylon-6 401–4
 - nanocomposites 258–60, 263, 386
 - polyamide nanofibers 73–5, 77, 85
 - polymer composites 203–5
 - polymer fibres 245–50
 - polypropylene fibers 281, 511–12
- melt intercalation 358
- melt spinning 208, 235–50
- melt-processing 201
- melting characteristics of multiwall nanotube-nylon-6 396–7
- mixed polymer brushes 458–62, 475–7, 479–81
- modified polyelectrolytes 435–6
- molecular platform of polymer film nanofabrication 449–51
- molecular weight 397–401
- montmorillonite 352
- morphology of carbon nanotubes 143
- morphology of electrospun nanofibers 76, 90–108
 - alignment control 100–3
 - beaded fibers 73, 81–3, 96–9
 - core-sheath nanofibers 104, 105–6
 - hollow nanofibers 105–6
 - polymer concentration 93–6
 - porous fibers 98–9
 - process of electrospinning 91–3
 - sharp-edged cross-sectional nanofibers 106–7
 - side-by-side nanofibers 104, 106–7
 - surface morphology 98–9
 - web morphologies 76, 100–3
- morphology of polymer fibres 238–44
 - polypropylene 497–502
 - scanning electron microscopy 240–1
 - transmission electron microscopy 238–40
 - wide-angle X-ray diffraction 241–4
- multi-collector yarn 55
- multi-jet electrospinning mode 10
- multiwall carbon nanotube-nylon-6 nanocomposites 386–405
 - chain formation 394
 - characterization 388–91
 - crystallization characteristics 396–7
 - dispersion mechanisms 392–6
 - DSC analysis 394–6
 - mechanical properties 401–4
 - melting characteristics 396–7
 - molecular weight 397–401
 - production 388
 - properties 391–404
 - synthesis 387–8
 - tensile properties 401–4
 - time effects 394
 - viscosity effects 392
- multiwall nanotubes (MWNT) 118, 195, 199–200
- nano-silica filled polypropylene 289–91
- nano-threading of polymers 307–8
- nanoclay particles in dyeing 326, 327–8, 334, 345–6
- nanocomposites 216–21, 256–75
 - and carbon nanotubes 257–8, 260, 264, 387
 - development 257–8
 - dyeing polypropylene nanocomposites 326–34
 - electrical properties 219–20
 - fire-retardant properties 260–2, 288
 - friction coefficient measurements 268–70

- friction modifiers 262-3
- functionality enhancements 273-5
- intercalated nanocomposites 257
- manufacturing 160-1, 162-3
- mechanical properties 258-60, 263, 386
- multiwall carbon nanotube-nylon-6 386-405
- preparation 283-4, 286-7
- reinforcement particles 256, 258, 263, 265, 494
- silicate nanocomposites 261-2, 282-4, 289-91
- sliding seal ring 265-73
- stiffness 259
- surface roughness 264
- tensile strength 259-60
- textile applications 256
- tribological properties 262-4
- viscoelastic properties 259
- wear performance 263-4, 267, 271-3
- yield strength 258-9
- see also* polymer composites; polymer-clay nanocomposites
- nanofabrication *see* polymer film nanofabrication
- nanofibrous scaffolds 28-36
- nanomodification of polypropylene fibers 282
- nanotechnology
 - applications of nanomaterials 45-6, 113-14, 115
 - costs of nanomaterials 114-15
 - definition 113
 - synthesis of nanomaterials 114
 - targets 114
- nanotubes *see* carbon nanotubes
- natural polyelectrolytes 435-6
- Nd-Yag laser ablation 132-3
- non-isothermal crystallization kinetics 390
- noncontinuous (short) yarns 49-52
- nylon 73-4, 321
 - nylon-6 nanocomposites 386-405
- oil-repellent finishes 417, 418-21, 464
- optical birefringence 505-9
- optical laser microscopy 142, 144-5
- optical microscopy 142, 144
- organomodification of clays 354-6
- orientation of fibers 47, 48-9, 100-3
- particle size reduction 330
- patented yarn production processes 52-3
- patterns of nanotube growth 136
- PCI-bPLLA di-block copolymers 309-10
- pentagon rule 116
- phase homogeneity 502-5
- phase segregation mechanisms 471-3
- physical properties
 - of carbon nanotubes 200
 - polymer composites 205-6
- plasma enhanced CVD 136-8
- plasma treatments 324-5, 418-21
- poly(1-butene)-clay nanocomposites 373
- poly(4-methyl-1-pentene)-clay nanocomposites 372-3
- polyamide nanofibers 30, 71-87, 412
 - bicomponent cross-sectional nanofibers 103-7
 - concentration of polymers 93-6
 - continuous production 79
 - diameter of fibers 71, 81-5
 - electrospinning conditions 76
 - high molecular weight polymers 75-7
 - mechanical properties 73-5, 77, 85
 - nylon 73-4
 - viscosity of nylon-6,6 solutions 75, 80-1, 93-6
- polyblending 324-6
- polyelectrolyte brushes 476
- polyelectrolytes 434-6
- polyester fibers 320
- polyethylene-clay nanocomposites 367-72
 - high-density 370-1
 - linear low-density 368-70
 - ultra-high molecular weight 371-2
- poly(glycidyl methacrylate) (PGMA) 450-8
- polyhedral oligomeric silsesquioxane 292-3
- polymer brushes 473-8
 - binary brushes 479
 - block-copolymer brushes 477-8
 - homopolymer brushes 474
 - mixed polymer brushes 458-62, 475-7, 479-81
 - polyelectrolyte brushes 476

- switchable unary polymer
 - brush 462–3
- Y-shaped amphiphilic brushes 476–7
 - see also* polymer film nanofabrication
- polymer composites 201–6
 - dispersion of nanotubes 201–3
 - electrical properties 205
 - elongational properties 210–12
 - matrix 214–16, 236
 - mechanical properties 203–5
 - melt-processing 201
 - microstructure 212–16
 - physical properties 205–6
 - production processes 201
 - rheological properties 208–12
 - shear properties 209–10
 - solvent processing 202–3
 - see also* nanocomposites
- polymer fibres 206–8
 - adding nanotubes to 206–7
 - crystallinity 238
 - dynamic mechanical analysis 248–50
 - mechanical properties 245–50
 - morphology 238–44
 - production 207–8, 236–7
 - thermal characterization 237–8
 - in tissue engineering 28–9
- polymer film nanofabrication 448–67
 - active nanostructured hybrid films 485–9
 - atom transfer radical polymerization (ATRP) 451, 453–5
 - future trends 489–90
 - grafting from techniques 451–5, 478–80
 - grafting to techniques 455–8, 478–80
 - hierarchical assembly 485–9
 - macroinitiator synthesis 451–2
 - molecular platform 449–51
 - phase segregation mechanisms 471–3
 - polymer-particles hybrid layers 484–5
 - polymer-polymer hybrid layers 478–84
 - responsive behaviour 471–8
 - smart switchable coatings 458–63
 - ultrahydrophobic material synthesis 464–6
 - see also* polymer brushes
- polymer layered silicate
 - nanocomposites 282–4
- polymer modification 313–14
- polymer temporal and thermal stability 312–13
- polymer-CD-ICs *see* cyclodextrins
- polymer-clay nanocomposites 257, 259, 260–1, 282–4
 - cation exchange capacity (CEC) 353, 355
 - delaminated structures 356
 - ethylene-vinyl acetate copolymer-clay 374
 - exfoliated structures 356
 - intercalated structures 356
 - layered silica clay minerals 352–3
 - nanoclay particles in dyeing 326, 327–8, 334, 345–6
 - organomodification of clays 354–6
 - poly(1-butene)-clay 373
 - poly(4-methyl-1-pentene)-clay 372–3
 - polyethylene-clay 367–72
 - polyolefin-clay 352, 356–60
 - polypropylene-clay 360–7
 - polyurethane-clay 374
 - properties 351
- polymer-particles hybrid layers 484–5
- polymer-polymer hybrid layers 478–84
- polyolefin-clay nanocomposites 352, 356–60
 - compatibilization issues 359–60
 - melt intercalation 358
 - poly(1-butene)-clay 373
 - poly(4-methyl-1-pentene)-clay 372–3
 - in situ* polymerization 357–8
 - solution intercalation 357
- polypropylene fibers 236, 281–93, 493–515
 - alumina nanoparticle-filled 292
 - calcium carbonate fillers 291
 - carbon black fillers 291–2
 - characterization techniques 495–7
 - crystallisation behaviour 509–11
 - exfoliation 513–14
 - extensional flow deformation 513–14
 - infrared activation 507–9
 - isotactic polypropylenes 284–5, 320
 - mechanical properties 281, 511–12
 - morphology 497–502

- nano-silica filled polypropylene 289–91
- nanocomposite polypropylenes 326–34
- nanomodification 282
- optical birefringence 505–9
- phase homogeneity 502–5
- polyhedral oligomeric silsesquioxane 292–3
- polymer layered silicate
 - nanocomposites 282–4
- processing 495–7
- spinline stability 502–5
- structure and properties 284–9
 - see also* dyeable polypropylene
- polypropylene-clay
 - nanocomposites 360–7
- polyurethane-clay nanocomposites 374
- porous fibers 98–9
- production processes *see* manufacturing
- properties of carbon nanotubes 160, 197–200, 198–200, 235, 386
 - mechanical 198–200
 - multiwall carbon nanotube-nylon-6 391–404
 - physical 200
 - transport 199–200
- properties of CD-ICs 304–8
- properties of polymer-clay
 - nanocomposites 351
- propulsion systems 172–5
- protein nanofibers 29–30
- purification of carbon nanotubes 152–7
 - chemical etching 153–4
 - electrophoresis 157
 - selective oxidation 154–7
 - sonication 153
- purity of carbon nanotubes 143
- quartz crystal microgravimetry (QCM) 436
- Raman spectroscopy 142, 149–51, 214–15
- Rayleigh relation 4, 5, 7–8
- reactivity of carbon nanotubes 143
- receptor additives 322
- reinforcement particles 256, 258, 263, 265, 494
- resin transfer molding (RTM) 168–9
- responsive behaviour 471–8
- rheological properties 208–12
- rocket propellants 172–5
- rotating collector method 50–1
- rotating dual-collector yarn 54–5
- sample preparation 143
- scaffold fabrication 24–30, 46–7
 - characterization techniques 36
 - co-electrospinning effect 37–8
 - electrospinning process 27–8
 - nanofibrous scaffolds 28–36
- scanning electron microscopy (SEM) 142, 146, 240–1, 388–9
- sealed electron beam guns 19
- selective oxidation 154–7
- self-assembled yarn 56–8
- self-cleaning superhydrophobic surfaces 421–6
- sharp-edged cross-sectional nanofibers 106–7
- shear properties 209–10
- side-by-side nanofibers 104, 106–7
- silicate nanocomposites 261–2, 282–4, 289–91
- silk fibers 29–30, 33–6
- single-wall nanotubes (SWNT) 117, 118, 195, 199–200
- sliding seal ring 265–73
- sliver 47
- smart switchable coatings 458–63
- smart textiles 470–1
- smectite clays 352, 354
- solution intercalation 357
- solution spinning 207–8
- solvent processing 202–3, 412–14
- sonication 153
- spider silk *see* silk fibers
- spin bath collector yarn 58–60
- spin coloration 321
- spinline stability 502–5
- spinning onto rapidly rotating surfaces 48
- staple fiber yarn 48, 56
- staple fibers 48
- stiffness of nanocomposites 259
- storage systems 183
- structure of carbon nanotubes 118–24
- substrates in electrostatic self-assembled nanolayer 432–4

- supercritical fluids 325
- surface modification techniques 434
- surface plasmon resonance (SPR) 436
- surface roughness of nanocomposites 264
- switchable unary polymer brush 462-3
- synthesis of nanomaterials 114
- synthesis of nanotubes 124-40, 197-200, 387-8
 - arc discharge 126-32
 - chemical vapour deposition (CVD) 135-40
 - laser ablation 132-5
 - multiwall carbon nanotube-nylon-6 387-8
 - process parameters 125, 158
- synthesis of smart switchable coatings 458-63
- synthesis of ultrahydrophobic materials 464-6
- synthetic polyelectrolytes 434-5
- tensile properties
 - fibers in tissue engineering 33-6
 - multiwall carbon nanotube-nylon-6 nanocomposites 401-4
 - nanocomposites 259-60
 - testing 390-1
- testing
 - nondestructive testing of nanotubes 169
 - superhydrophobicity 425-6
 - tensile properties 390-1
- tex 48
- textile coatings 409-26, 448
 - aerosol use 420-1
 - anti-adhesive nanocoatings 417
 - centrifuge spinning 415-16
 - Denkendorf quality mark 426
 - electrostatic spinning 410-15, 416-17
 - fiber spinning 409
 - filter media 410
 - fluoro-carbon coatings 417
 - Lotus-Effect surfaces 421-2, 464
 - oil-repellent finishes 417, 418-21, 464
 - plasma treatments 418-21
 - porosity and pore size 410
 - production methods 414
 - productivity 414-15
 - self-cleaning superhydrophobic surfaces 421-6
 - smart textiles 470-1
 - solvent use 412-14
 - testing superhydrophobicity 425-6
 - ultrahydrophobic materials 464-6
 - water-repellent finishes 417, 418-21, 464
 - whipping 412
- thermal characterization 237-8
- thermal CVD 136-8
- thermogravimetric analysis (TG) 155
- tissue engineering 22-43, 28-9
 - cell-scaffold interaction 36-42
 - cells for seeding scaffolds 23
 - concept 22-4
 - materials used in 22, 46
 - morphology and fiber diameter 31-3
 - porosity and pore size of scaffolds 30-1, 67
 - scaffold fabrication 24-30, 46-7
 - characterization techniques 36
 - co-electrospinning effect 37-8
 - electrospinning process 27-8
 - nanofibrous scaffolds 28-36
 - tensile properties of fibers 33-6
 - types of procedures 22-3
- tows 47
- Toyota Motor Company 351-2
- transmission electron microscopy (TEM) 142, 146, 238-40, 337-8, 436-7
- transport properties of carbon nanotubes 199-200
- tribological properties of nanocomposites 262-4
- twisted nonwoven web yarn 60
- ultra-high molecular weight polyethylene-clay nanocomposites 371-2
- ultrahydrophobic material
 - synthesis 464-6
- ultrasonication 330-2
- van der Waals interactions 305
- Vasiliev model 167
- viscoelastic properties of nanocomposites 259

viscosity

- in electrospinning 11–12
- and multiwall carbon
nanotube-nylon-6 392

of nanocomposites 259

of nylon-6,6 solutions 75, 80–1, 93–6

vortex bath collector yarn 62

wash fastness 343–4

water immersed arc discharge method 131

water-repellent finishes 417, 418–21, 464

wear performance 263–4, 267, 271–3

web morphologies 76, 100–3

whipping 412

wide-angle X-ray diffraction 241–4

X-ray diffraction analysis 334–45

XPS analysis 436–7

Y-shaped amphiphilic brushes 476–7

yarns, definition 47

yield strength 258–9