

# FUNDAMENTALS OF RENEWABLE ENERGY PROCESSES

Second Edition



Aldo Vieira da Rosa



Academic Press is an imprint of Elsevier

# Contents

|                                          |      |
|------------------------------------------|------|
| Foreword to the Second Edition . . . . . | xv   |
| Foreword to the First Edition . . . . .  | xvii |
| Acknowledgements . . . . .               | xix  |

|                                               |          |
|-----------------------------------------------|----------|
| <b>Chapter 1 Generalities</b>                 | <b>1</b> |
| 1.1 Units and Constants . . . . .             | 1        |
| 1.2 Energy and Utility . . . . .              | 2        |
| 1.3 Conservation of Energy . . . . .          | 4        |
| 1.4 Planetary Energy Balance . . . . .        | 5        |
| 1.5 The Energy Utilization Rate . . . . .     | 5        |
| 1.6 The Population Explosion . . . . .        | 9        |
| 1.7 The Market Penetration Function . . . . . | 10       |
| 1.8 Planetary Energy Resources . . . . .      | 16       |
| 1.9 Energy Utilization . . . . .              | 20       |
| 1.10 The Ecology Question . . . . .           | 24       |
| 1.10.1 Biological . . . . .                   | 26       |
| 1.10.2 Mineral . . . . .                      | 26       |
| 1.10.3 Subterranean . . . . .                 | 26       |
| 1.10.4 Undersea . . . . .                     | 27       |
| 1.11 Nuclear Energy . . . . .                 | 27       |
| 1.11.1 Fission . . . . .                      | 29       |
| 1.11.2 Fusion . . . . .                       | 34       |
| 1.11.3 Cold Fusion . . . . .                  | 37       |
| 1.12 Financing . . . . .                      | 44       |
| References . . . . .                          | 46       |
| Problems . . . . .                            | 48       |

## Part I Heat Engines 59

|                                                                                 |           |
|---------------------------------------------------------------------------------|-----------|
| <b>Chapter 2 A Minimum of Thermodynamics and of the Kinetic Theory of Gases</b> | <b>61</b> |
| 2.1 The Motion of Molecules . . . . .                                           | 61        |
| 2.2 Temperature . . . . .                                                       | 61        |
| 2.3 The Perfect-Gas Law . . . . .                                               | 62        |

|                                          |                                               |           |
|------------------------------------------|-----------------------------------------------|-----------|
| 2.4                                      | Internal Energy . . . . .                     | 63        |
| 2.5                                      | Specific Heat at Constant Volume . . . . .    | 63        |
| 2.6                                      | The First Law of Thermodynamics . . . . .     | 64        |
| 2.7                                      | The Pressure-Volume Work . . . . .            | 65        |
| 2.8                                      | Specific Heat at Constant Pressure . . . . .  | 65        |
| 2.9                                      | Adiabatic Processes . . . . .                 | 66        |
| 2.9.1                                    | Abrupt Compression . . . . .                  | 67        |
| 2.9.2                                    | Gradual Compression . . . . .                 | 70        |
| 2.9.3                                    | p-V Diagrams . . . . .                        | 71        |
| 2.9.4                                    | Polytropic Law . . . . .                      | 72        |
| 2.9.5                                    | Work Done under Adiabatic Expansion . . . . . | 73        |
| 2.10                                     | Isothermal Processes . . . . .                | 74        |
| 2.11                                     | Functions of State . . . . .                  | 76        |
| 2.12                                     | Enthalpy . . . . .                            | 76        |
| 2.13                                     | Degrees of Freedom . . . . .                  | 78        |
| 2.14                                     | Entropy . . . . .                             | 79        |
| 2.14.1                                   | Changes in Entropy . . . . .                  | 80        |
| 2.15                                     | Reversibility . . . . .                       | 82        |
| 2.15.1                                   | Causes of Irreversibility . . . . .           | 84        |
| 2.16                                     | Negentropy . . . . .                          | 84        |
| 2.17                                     | How to Plot Statistics . . . . .              | 86        |
| 2.18                                     | Maxwellian Distribution . . . . .             | 87        |
| 2.19                                     | Fermi-Dirac Distribution . . . . .            | 90        |
| 2.20                                     | Boltzmann's Law . . . . .                     | 92        |
|                                          | Appendix: Symbology . . . . .                 | 93        |
|                                          | Reference . . . . .                           | 93        |
|                                          | Problems . . . . .                            | 94        |
| <b>Chapter 3 Mechanical Heat Engines</b> |                                               | <b>99</b> |
| 3.1                                      | Heats of Combustion . . . . .                 | 99        |
| 3.2                                      | Carnot Efficiency . . . . .                   | 102       |
| 3.3                                      | Engine Types . . . . .                        | 103       |
| 3.4                                      | Efficiency of an Otto Engine . . . . .        | 106       |
| 3.5                                      | Gasoline . . . . .                            | 111       |
| 3.5.1                                    | Heat of Combustion . . . . .                  | 111       |
| 3.5.2                                    | Antiknock Characteristics . . . . .           | 111       |
| 3.6                                      | Knocking . . . . .                            | 111       |
| 3.7                                      | Hybrid Engines for Automobiles . . . . .      | 115       |
| 3.8                                      | The Stirling Engine . . . . .                 | 116       |
| 3.8.1                                    | The Kinematic Stirling Engine . . . . .       | 117       |
| 3.8.2                                    | The Free-piston Stirling Engine . . . . .     | 123       |
| 3.9                                      | Cryogenic Engines . . . . .                   | 125       |
| 3.9.1                                    | Conclusions . . . . .                         | 128       |
|                                          | References . . . . .                          | 128       |
|                                          | Problems . . . . .                            | 130       |

|                  |                                                            |            |
|------------------|------------------------------------------------------------|------------|
| <b>Chapter 4</b> | <b>Ocean Thermal Energy Converters</b>                     | <b>139</b> |
| 4.1              | Introduction . . . . .                                     | 139        |
| 4.2              | OTEC Configurations . . . . .                              | 139        |
| 4.3              | Turbines . . . . .                                         | 142        |
| 4.4              | OTEC Efficiency . . . . .                                  | 145        |
| 4.5              | Example of OTEC Design . . . . .                           | 146        |
| 4.6              | Heat Exchangers . . . . .                                  | 148        |
| 4.7              | Siting . . . . .                                           | 148        |
|                  | References . . . . .                                       | 149        |
|                  | Problems . . . . .                                         | 150        |
| <br>             |                                                            |            |
| <b>Chapter 5</b> | <b>Thermoelectricity</b>                                   | <b>153</b> |
| 5.1              | Experimental Observations . . . . .                        | 153        |
| 5.2              | Thermoelectric Thermometers . . . . .                      | 158        |
| 5.3              | The Thermoelectric Generator . . . . .                     | 160        |
| 5.4              | Figure of Merit of a Material . . . . .                    | 164        |
| 5.5              | The Wiedemann–Franz–Lorenz Law . . . . .                   | 166        |
| 5.6              | Thermal Conductivity in Solids . . . . .                   | 169        |
| 5.7              | Seebeck Coefficient of Semiconductors . . . . .            | 171        |
| 5.8              | Performance of Thermoelectric Materials . . . . .          | 171        |
| 5.9              | Some Applications of Thermoelectric Generators . . . . .   | 175        |
| 5.10             | Design of a Thermoelectric Generator . . . . .             | 177        |
| 5.11             | Thermoelectric Refrigerators and Heat Pumps . . . . .      | 180        |
|                  | 5.11.1 Design Using an Existing Thermocouple . . . . .     | 181        |
|                  | 5.11.2 Design Based on Given Semiconductors . . . . .      | 184        |
| 5.12             | Temperature Dependence . . . . .                           | 188        |
| 5.13             | Battery Architecture . . . . .                             | 188        |
| 5.14             | The Physics of Thermoelectricity . . . . .                 | 190        |
|                  | 5.14.1 The Seebeck Effect . . . . .                        | 190        |
|                  | 5.14.2 The Peltier Effect . . . . .                        | 193        |
|                  | 5.14.3 The Thomson Effect . . . . .                        | 194        |
|                  | 5.14.4 Kelvin's Relations . . . . .                        | 195        |
| 5.15             | Directions and Signs . . . . .                             | 199        |
|                  | Appendix . . . . .                                         | 201        |
|                  | References . . . . .                                       | 202        |
|                  | Problems . . . . .                                         | 203        |
| <br>             |                                                            |            |
| <b>Chapter 6</b> | <b>Thermionics</b>                                         | <b>219</b> |
| 6.1              | Introduction . . . . .                                     | 219        |
| 6.2              | Thermionic Emission . . . . .                              | 222        |
| 6.3              | Electron Transport . . . . .                               | 224        |
|                  | 6.3.1 The Child–Langmuir Law . . . . .                     | 227        |
| 6.4              | Lossless Diodes with Space Charge Neutralization . . . . . | 231        |
|                  | 6.4.1 Interelectrode Potentials . . . . .                  | 231        |
|                  | 6.4.2 $V$ - $J$ Characteristics . . . . .                  | 233        |

|                                             |                                                        |            |
|---------------------------------------------|--------------------------------------------------------|------------|
| 6.4.3                                       | The Open-Circuit Voltage . . . . .                     | 233        |
| 6.4.4                                       | Maximum Power Output . . . . .                         | 234        |
| 6.5                                         | Losses in Vacuum Diodes with No Space Charge . . . . . | 235        |
| 6.5.1                                       | Efficiency . . . . .                                   | 235        |
| 6.5.2                                       | Radiation Losses . . . . .                             | 236        |
| 6.5.3                                       | Excess Electron Energy . . . . .                       | 239        |
| 6.5.4                                       | Heat Conduction . . . . .                              | 241        |
| 6.5.5                                       | Lead Resistance . . . . .                              | 241        |
| 6.6                                         | Real Vacuum-Diodes . . . . .                           | 241        |
| 6.7                                         | Vapor Diodes . . . . .                                 | 242        |
| 6.7.1                                       | Cesium Adsorption . . . . .                            | 243        |
| 6.7.2                                       | Contact Ionization . . . . .                           | 246        |
| 6.7.3                                       | Thermionic Ion Emission . . . . .                      | 247        |
| 6.7.4                                       | Space Charge Neutralization Conditions . . . . .       | 248        |
| 6.7.5                                       | More $V$ - $J$ Characteristics . . . . .               | 249        |
| 6.8                                         | High-Pressure Diodes . . . . .                         | 255        |
|                                             | References . . . . .                                   | 257        |
|                                             | Problems . . . . .                                     | 258        |
| <br><b>Chapter 7 AMTEC</b>                  |                                                        | <b>263</b> |
| 7.1                                         | Operating Principle . . . . .                          | 263        |
| 7.2                                         | Vapour Pressure . . . . .                              | 265        |
| 7.3                                         | Pressure Drop in the Sodium Vapor Column . . . . .     | 267        |
| 7.4                                         | Mean Free Path of Sodium Ions . . . . .                | 269        |
| 7.5                                         | $V$ - $I$ Characteristics of an AMTEC . . . . .        | 269        |
| 7.6                                         | Efficiency . . . . .                                   | 272        |
| 7.7                                         | Thermodynamics of an AMTEC . . . . .                   | 274        |
|                                             | References . . . . .                                   | 277        |
| <br><b>Chapter 8 Radio-Noise Generators</b> |                                                        | <b>279</b> |
|                                             | References . . . . .                                   | 283        |
| <br><b>Part II The World of Hydrogen</b>    |                                                        | <b>285</b> |
| <br><b>Chapter 9 Fuel Cells</b>             |                                                        | <b>287</b> |
| 9.1                                         | Introduction . . . . .                                 | 287        |
| 9.2                                         | Voltaic Cells . . . . .                                | 288        |
| 9.3                                         | Fuel Cell Classification . . . . .                     | 293        |
| 9.3.1                                       | Temperature of Operation . . . . .                     | 294        |
| 9.3.2                                       | State of the Electrolyte . . . . .                     | 295        |
| 9.3.3                                       | Type of Fuel . . . . .                                 | 295        |
| 9.3.4                                       | Chemical Nature of the Electrolyte . . . . .           | 296        |

|       |                                                                                              |     |
|-------|----------------------------------------------------------------------------------------------|-----|
| 9.4   | Fuel Cell Reactions . . . . .                                                                | 297 |
| 9.4.1 | Alkaline Electrolytes . . . . .                                                              | 297 |
| 9.4.2 | Acid Electrolytes . . . . .                                                                  | 297 |
| 9.4.3 | Molten Carbonate Electrolytes . . . . .                                                      | 298 |
| 9.4.4 | Ceramic Electrolytes . . . . .                                                               | 298 |
| 9.4.5 | Methanol Fuel Cells . . . . .                                                                | 298 |
| 9.4.6 | Formic Acid Fuel Cells . . . . .                                                             | 300 |
| 9.5   | Typical Fuel Cell Configurations . . . . .                                                   | 300 |
| 9.5.1 | Demonstration Fuel Cell (KOH) . . . . .                                                      | 300 |
| 9.5.2 | Phosphoric Acid Fuel Cells (PAFCs) . . . . .                                                 | 301 |
| 9.5.3 | Molten Carbonate Fuel Cells (MCFCs) . . . . .                                                | 303 |
| 9.5.4 | Ceramic Fuel Cells (SOFCs) . . . . .                                                         | 305 |
| 9.5.5 | Solid-Polymer Electrolyte Fuel Cells . . . . .                                               | 314 |
| 9.5.6 | Direct Methanol Fuel Cells (DMFCs) . . . . .                                                 | 322 |
| 9.5.7 | Direct Formic Acid Fuel Cells (DFAFCs) . . . . .                                             | 323 |
| 9.5.8 | Solid Acid Fuel Cells (SAFCs) . . . . .                                                      | 324 |
| 9.5.9 | Metallic Fuel Cells—Zinc–Air Fuel Cells . . . . .                                            | 325 |
| 9.6   | Fuel Cell Applications . . . . .                                                             | 326 |
| 9.6.1 | Stationary Power Plants . . . . .                                                            | 326 |
| 9.6.2 | Automotive Power Plants . . . . .                                                            | 327 |
| 9.6.3 | Other Applications . . . . .                                                                 | 328 |
| 9.7   | The Thermodynamics of Fuel Cells . . . . .                                                   | 329 |
| 9.7.1 | Heat of Combustion . . . . .                                                                 | 330 |
| 9.7.2 | Free Energy . . . . .                                                                        | 331 |
| 9.7.3 | Efficiency of Reversible Fuel Cells . . . . .                                                | 335 |
| 9.7.4 | Effects of Pressure and Temperature on the<br>Enthalpy and Free Energy Changes of a Reaction | 336 |
| 9.8   | Performance of Real Fuel Cells . . . . .                                                     | 347 |
| 9.8.1 | Current Delivered by a Fuel Cell . . . . .                                                   | 347 |
| 9.8.2 | Efficiency of Practical Fuel Cells . . . . .                                                 | 347 |
| 9.8.3 | $V$ - $I$ Characteristics of Fuel Cells . . . . .                                            | 349 |
| 9.8.4 | Open-circuit Voltage . . . . .                                                               | 358 |
| 9.8.5 | Reaction Kinetics . . . . .                                                                  | 358 |
| 9.8.6 | The Butler–Volmer Equation . . . . .                                                         | 363 |
| 9.8.7 | Transport Losses . . . . .                                                                   | 368 |
| 9.8.8 | Heat Dissipation by Fuel Cells . . . . .                                                     | 370 |
|       | Appendix: Batteries . . . . .                                                                | 373 |
|       | References . . . . .                                                                         | 393 |
|       | Further Reading . . . . .                                                                    | 395 |
|       | Problems . . . . .                                                                           | 396 |

|                   |                                                     |            |
|-------------------|-----------------------------------------------------|------------|
| <b>Chapter 10</b> | <b>Hydrogen Production</b>                          | <b>417</b> |
| 10.1              | Generalities . . . . .                              | 417        |
| 10.2              | Chemical Production of Hydrogen . . . . .           | 419        |
| 10.2.1            | Historical . . . . .                                | 419        |
| 10.2.2            | Metal-Water Hydrogen Production . . . . .           | 420        |
| 10.2.3            | Large-scale Hydrogen Production . . . . .           | 422        |
| 10.2.4            | Hydrogen Purification . . . . .                     | 426        |
| 10.2.5            | Compact Fuel Processors . . . . .                   | 429        |
| 10.3              | Electrolytic Hydrogen . . . . .                     | 434        |
| 10.3.1            | Introduction . . . . .                              | 434        |
| 10.3.2            | Electrolyzer Configurations . . . . .               | 435        |
| 10.3.3            | Efficiency of Electrolyzers . . . . .               | 437        |
| 10.3.4            | Concentration-Differential Electrolyzers . . . . .  | 440        |
| 10.3.5            | Electrolytic Hydrogen Compression . . . . .         | 442        |
| 10.4              | Thermolytic Hydrogen . . . . .                      | 443        |
| 10.4.1            | Direct Dissociation of Water . . . . .              | 443        |
| 10.4.2            | Chemical Dissociation of Water . . . . .            | 449        |
| 10.5              | Photolytic Hydrogen . . . . .                       | 451        |
| 10.5.1            | Generalities . . . . .                              | 451        |
| 10.5.2            | Solar Photolysis . . . . .                          | 453        |
| 10.6              | Photobiologic Hydrogen Production . . . . .         | 456        |
|                   | References . . . . .                                | 457        |
|                   | Problems . . . . .                                  | 458        |
| <b>Chapter 11</b> | <b>Hydrogen Storage</b>                             | <b>467</b> |
| 11.1              | Compressed Gas . . . . .                            | 469        |
| 11.2              | Cryogenic Hydrogen . . . . .                        | 471        |
| 11.3              | Storage of Hydrogen by Adsorption . . . . .         | 473        |
| 11.4              | Storage of Hydrogen in Chemical Compounds . . . . . | 474        |
| 11.4.1            | Generalities . . . . .                              | 474        |
| 11.4.2            | Hydrogen Carriers . . . . .                         | 475        |
| 11.4.3            | Water Plus a Reducing Substance . . . . .           | 476        |
| 11.4.4            | Formic Acid . . . . .                               | 477        |
| 11.4.5            | Metal Hydrides . . . . .                            | 477        |
| 11.5              | Hydride Hydrogen Compressors . . . . .              | 492        |
| 11.6              | Hydride Heat Pumps . . . . .                        | 497        |
|                   | References . . . . .                                | 499        |
|                   | Problems . . . . .                                  | 501        |
| <b>Part III</b>   | <b>Energy from the Sun</b>                          | <b>519</b> |
| <b>Chapter 12</b> | <b>Solar Radiation</b>                              | <b>521</b> |
| 12.1              | The Nature of the Solar Radiation . . . . .         | 521        |
| 12.2              | Insolation . . . . .                                | 524        |
| 12.2.1            | Generalities . . . . .                              | 524        |

|                   |                                                |            |
|-------------------|------------------------------------------------|------------|
| 12.2.2            | Insolation on a Sun-Tracking Surface . . . . . | 527        |
| 12.2.3            | Insolation on a Stationary Surface . . . . .   | 527        |
| 12.2.4            | Horizontal Surfaces . . . . .                  | 530        |
| 12.3              | Solar Collectors . . . . .                     | 531        |
| 12.3.1            | Solar Architecture . . . . .                   | 531        |
| 12.3.2            | Flat Collectors . . . . .                      | 534        |
| 12.3.3            | Evacuated Tubes . . . . .                      | 535        |
| 12.3.4            | Concentrators . . . . .                        | 535        |
| 12.4              | Some Solar Plant Configurations . . . . .      | 538        |
| 12.4.1            | High-Temperature Solar Heat Engine . . . . .   | 538        |
| 12.4.2            | Solar Tower . . . . .                          | 540        |
| 12.4.3            | Solar Ponds . . . . .                          | 541        |
|                   | Appendix A: The Measurement of Time . . . . .  | 542        |
|                   | Appendix B: Orbital Mechanics . . . . .        | 546        |
| 12.4.4            | Orbital Obliquity . . . . .                    | 558        |
|                   | References . . . . .                           | 559        |
|                   | Further Reading . . . . .                      | 559        |
|                   | Problems . . . . .                             | 560        |
| <b>Chapter 13</b> | <b>Biomass</b>                                 | <b>569</b> |
| 13.1              | Introduction . . . . .                         | 569        |
| 13.2              | The Composition of Biomass . . . . .           | 569        |
| 13.2.1            | A Little Bit of Organic Chemistry . . . . .    | 570        |
| 13.3              | Biomass as Fuel . . . . .                      | 592        |
| 13.3.1            | Wood Gasifiers . . . . .                       | 594        |
| 13.3.2            | Ethanol . . . . .                              | 594        |
| 13.3.3            | Dissociated Alcohols . . . . .                 | 600        |
| 13.3.4            | Anaerobic Digestion . . . . .                  | 601        |
| 13.4              | Photosynthesis . . . . .                       | 608        |
|                   | References . . . . .                           | 616        |
|                   | Problems . . . . .                             | 618        |
| <b>Chapter 14</b> | <b>Photovoltaic Converters</b>                 | <b>625</b> |
| 14.1              | Introduction . . . . .                         | 625        |
| 14.2              | Theoretical Efficiency . . . . .               | 631        |
| 14.3              | Carrier Multiplication . . . . .               | 639        |
| 14.4              | Spectrally Selective Beam Splitting . . . . .  | 640        |
| 14.4.1            | Cascaded Cells . . . . .                       | 640        |
| 14.4.2            | Filtered Cells . . . . .                       | 644        |
| 14.4.3            | Holographic Concentrators . . . . .            | 644        |
| 14.5              | Thermophotovoltaic Cells . . . . .             | 645        |
| 14.6              | The Ideal and the Practical . . . . .          | 650        |
| 14.7              | Solid-State Junction Photodiode . . . . .      | 651        |
| 14.7.1            | The Reverse Saturation Current . . . . .       | 671        |
| 14.7.2            | Practical Efficiency . . . . .                 | 674        |

|         |                                                                                                             |     |
|---------|-------------------------------------------------------------------------------------------------------------|-----|
| 14.8    | Dye-Sensitized Solar Cells (DSSCs) . . . . .                                                                | 675 |
| 14.9    | Organic Photovoltaic Cells (OPC) . . . . .                                                                  | 681 |
| 14.10   | Solar-Power Satellite . . . . .                                                                             | 690 |
| 14.10.1 | Beam from Space . . . . .                                                                                   | 692 |
| 14.10.2 | Solar Energy to DC Conversion . . . . .                                                                     | 693 |
| 14.10.3 | Microwave Generation . . . . .                                                                              | 694 |
| 14.10.4 | Radiation System . . . . .                                                                                  | 695 |
| 14.10.5 | Receiving Array . . . . .                                                                                   | 696 |
| 14.10.6 | Attitude and Orbital Control . . . . .                                                                      | 696 |
| 14.10.7 | Space Transportation and Space Construction . . . . .                                                       | 697 |
| 14.10.8 | Future of Space Solar Power Projects . . . . .                                                              | 697 |
|         | Appendix A: Values of Two Definite Integrals Used<br>in the Calculation of Photodiode Performance . . . . . | 698 |
|         | Appendix B: A Semiconductor Primer . . . . .                                                                | 699 |
|         | References . . . . .                                                                                        | 705 |
|         | Problems . . . . .                                                                                          | 708 |

## Part IV Wind and Water 721

|                   |                                                     |            |
|-------------------|-----------------------------------------------------|------------|
| <b>Chapter 15</b> | <b>Wind Energy</b>                                  | <b>723</b> |
| 15.1              | History . . . . .                                   | 723        |
| 15.2              | Wind Machine Configurations . . . . .               | 727        |
| 15.2.1            | Drag-Type Wind Turbines . . . . .                   | 727        |
| 15.2.2            | Lift-Type Wind Turbines . . . . .                   | 729        |
| 15.2.3            | Magnus Effect Wind Machines . . . . .               | 730        |
| 15.2.4            | Vortex Wind Machines . . . . .                      | 731        |
| 15.3              | Measuring the Wind . . . . .                        | 731        |
| 15.4              | Availability of Wind Energy . . . . .               | 735        |
| 15.5              | Wind Turbine Characteristics . . . . .              | 736        |
| 15.6              | Principles of Aerodynamics . . . . .                | 738        |
| 15.6.1            | Flux . . . . .                                      | 738        |
| 15.6.2            | Power in the Wind . . . . .                         | 739        |
| 15.6.3            | Dynamic Pressure . . . . .                          | 739        |
| 15.6.4            | Wind Pressure . . . . .                             | 740        |
| 15.6.5            | Available Power (Betz Limit) . . . . .              | 741        |
| 15.6.6            | Efficiency of a Wind Turbine . . . . .              | 745        |
| 15.7              | Airfoils . . . . .                                  | 748        |
| 15.8              | Reynolds Number . . . . .                           | 751        |
| 15.9              | Aspect Ratio . . . . .                              | 754        |
| 15.10             | Wind Turbine Analysis . . . . .                     | 756        |
| 15.10.1           | Horizontal Axis Turbines (propeller type) . . . . . | 756        |
| 15.10.2           | Vertical Axis Turbines . . . . .                    | 762        |
| 15.11             | Magnus Effect . . . . .                             | 776        |
|                   | References . . . . .                                | 777        |
|                   | Problems . . . . .                                  | 778        |

|                                                |            |
|------------------------------------------------|------------|
| <b>Chapter 16 Ocean Engines</b>                | <b>799</b> |
| 16.1 Introduction . . . . .                    | 799        |
| 16.2 Wave Energy . . . . .                     | 799        |
| 16.2.1 About Ocean Waves . . . . .             | 799        |
| 16.2.2 Wave Energy Converters . . . . .        | 802        |
| 16.3 Tidal Energy . . . . .                    | 808        |
| 16.4 Energy from Currents . . . . .            | 810        |
| 16.4.1 Marine Current Turbine System . . . . . | 811        |
| 16.5 Salination Energy . . . . .               | 816        |
| 16.6 Osmosis . . . . .                         | 820        |
| References . . . . .                           | 823        |
| Further Reading . . . . .                      | 823        |
| Problems . . . . .                             | 825        |
| <b>Index . . . . .</b>                         | <b>829</b> |

# Index

## A

- Abandonment time, market, 14
- Abrupt compression, 67-70
- Absorption, 478
- Absorption of light by water, 454
- Absorptive, heat, 237
- Accelerating interelectrode potential, 225
- Accelerator, thermionic diodes, 229
- Acceptance angle, solar collectors, 535
- Acceptance, charge, 374
- Acceptor, 651
- Accessories, automotive engines, 110
- Acetaldehyde, 598
- Acetogenesis, 602
- Acetylenes, 571
- Acid electrolytes fuel cell reactions, 297
- Acid hydrolysis, 582
- Acid, strong, 380
- Acidogenesis, 602
- Actinides, 33
- Activated complexes, 361
- Activated intermediate species, 452
- Activation
  - barrier, 360
  - energy, 360-362
  - hydride, 478, 488
  - voltage, 353
- Addition reaction, 477
- Adiabatic
  - entropy change, 81
  - processes, 66-73
  - turbine, 142
- Adsorption, cesium, 243-245
- Adsorption storage, hydrogen, 473-474
- Advantages, thermionic devices, 220
- AFC, alkaline fuel cells, 293
- Aguçadoura, 805
- Aiming angle, 538
- Air circulation, 532
- Air pressure, 739, 750
- Air/fuel ratio, 109
- Airfoil, 748-751
  - asymmetric, 748
  - reference plane, 748
  - symmetric, 748
- Akasaki, I., 641
- Alayne, F., 615
- Albedo, 5
- Alcohol, 114, 572
  - anhydrous, 597
  - dissociated, 600-601
  - hydrated, 597
  - thermal decomposition, 422, 423
- Aldehydes, 572
- Aldohexoses, 583
- Alfonso, P., 6
- Alga for hydrogen production, 456
- Algae for oil, 581
- Algae in sewage treatment, 607
- AlInGaAs, aluminum indium gallium arsenide, 641
- Aliphatic, 570, 584
- Alkali metal thermal electric converter, 263
- Alkaline
  - batteries, 382
  - cells, 293
  - electrolytes, fuel cell, 296, 297
  - electrolytes, fuel cell reactions, 297-300
  - fuel cells, 293
- Alkanes, 571, 584
- Alkenes, 571, 584
- Alkynes, 571, 584
- Allowable loading rate, 605
- Alloys
  - binary, 477
  - quaternary, 477
  - ternary, 477
- Alpha phase, hydrides, 480
- Alpha sticking, 39
- Alpha-carbon, 574, 575
- Alpha-Stirling engine, 117-120
- Alumina, 420, 421
- Alumina, beta', 263
- Aluminum
  - air cells, 325
  - AlInGaAs, 641
  - gallium alloy, 421
  - indium gallium arsenide, 693
  - passivation, 420
  - Power, Inc. (aluminum-air cells), 325
  - water hydrogen production, 420-422
  - water hydrogen, energy efficiency, 421
- Alvarez, L. W., 38
- Amalgamation, 383
- American Public Power Association (fuel cells), 304
- Ammonia tolerance, fuel cell, 303, 320
- Amorphous thin film photovoltaic materials, 630
- AMTEC
  - conduction losses, 274
  - efficiency, 272-274
  - electrode efficiency, 273
  - parasitic losses, 273
  - radiation losses, 273-274
  - specific resistivity, 271
  - thermodynamics, 274-277
- Anaerobic digestion, 601-608
- Anchoring, marine converters, 813
- Ancillary devices, automotive engines, 110
- Anemometer, 731
- Angle of attack, 748
- Anhydrous alcohol, 597
- Anhydrous proton conductivity, 324
- Anion, 296, 298, 315, 364
- Anion-exchange membranes, 318
- Anode, 289
- Anode, definition, 219
- Anode reaction, 290
- Anomalistic year, 551, 552

- Anomaly, mean, 555, 556
  - Anomaly, true, 547, 548
  - Anthracene, 388
  - Antiknock, 111
  - Apastron, 548
  - Aphelion, 548
  - Apoapsis, 548
  - Apocenter, 548
  - Apofocus, 548
  - Apogee, 548
  - Applications of OTEC technology, 149
  - AquaBuOY, 804
  - Aquifer storage, 470
  - Arable land, 9
  - Arata, Y., 43
  - Archaea, 602, 602n, 603
  - Archimedes Waveswing, 804
  - Architecture, batteries of thermocouples, 188
  - Area, active fuel cell, 320
  - Area, blade, 761
  - Argument of perihelion, 551
  - Aristotle, 807
  - Aromatic, 570, 584
  - Aromaticity, 387
  - Arrhenius equation, 362
  - Ascending node, 551
  - Aspect ratio, 754–756
  - Aspect ratio, Gyromil, 771
  - Assumptions, market penetration, 14, 16
  - Aswan, 435
  - Atmospheric pressure, 92–93
  - Atomic orbitals, 587
  - ATR, autothermal reaction, 422
  - Atriplex rosea*, 612–615
  - Atriplex triangularis*, 613–615
  - Attitude and orbital control, SPS, 696–697
  - Augustus (Octavian), 544
  - Automotive power plants, fuel cell, 327–328
  - Autothermal reaction, ATR, 422
  - Autumnal equinox, 551
  - Availability of wind energy, 735–736
  - Available
    - noise power, 279
    - power density, wind, 731, 735
    - power, wind turbine, 741–748
  - Average-to-peak ratio, photovoltaics, 626
  - Avogadro's number, 63, 93
  - Avoided cost, 626
  - AWS Ocean Energy, 804
  - Axial compressor, 105
  - Azimuth of the sun, 525
  - Azimuth, solar, 526
- ## B
- Back emission, 245
  - Back reaction, 452
  - Bacteria, fermentative, 602, 603
  - Baker, R. T. K., 474
  - Ballard Power Systems, fuel cells, 307, 314–316, 318–321, 352, 371, 378
  - Balmer series, 685
  - Band-gap energy, 631, 635
  - Band structure, 683–687
  - Bare work function, 243
  - BASE, 263–265
  - Batch digester, 604, 605
  - Batteries, 373–393
    - alkaline, 382–383
    - chemistry, 379–393
    - lead-acid, 383–384
    - lithium-ion, 386–393
    - nickel-cadmium, NiCd, 384–385
    - nickel-iron, NiFe, 384
    - nickel-metal hydride batteries, NiMH, 385–386
    - primary, 379–383
    - secondary, 383–393
  - Battery architecture, thermocouples, 188
  - Battery, Edison, 373, 384
  - Beam from space, SPS, 692–693
  - Beam splitting, spectrally selective, 640–645
  - Benzene ring, 584
  - Bergen, 807
  - Berry, J., 612, 613, 615
  - Beta (ion-richness parameter), 249
  - Beta' alumina, 263
  - Beta phase, hydrides, 480
  - Beta prime phase, hydrides, 480
  - Beta Stirling engine, 120–121
  - Betz limit, 741–743
  - Binary alloys, 477
  - Binding energy
    - exciton, 688
    - nuclear, 29
  - Biodiesel, 570, 579, 580
  - Biogas, 569, 602, 604, 606
  - Biological filter, 606
  - Biomass, 569–616
    - as fuel, 592–608
    - composition, 569–570
    - efficiency, 569
  - Bipolar, 301
  - Bipolar electrolyzer, 435
  - Bipolar fuel cells, 301
  - Bird wings, 755, 756
  - Björkman, O., 610, 612, 613, 615
  - Black body, 523
  - Black body spectrum efficiency, 638
  - Blade area, 761
    - number, wind turbines, 746, 748, 756
    - setup angle, 758, 762, 763, 767
  - Blending octane value, 114
  - Bohr, N., 683
  - Boltzmann line, 235
  - Boltzmann's constant, 62
  - Boltzmann's law, 92–93, 247, 356
  - Bonds
    - covalent, 589–590
    - hydrogen, 590–591
    - ionic, 589
    - metallic, 589
  - Borden, P., 675
  - Bounce space, 123
  - Branched hydrocarbons, 111–114
  - Brayton cycle, 104, 105
  - Brayton engine, 105, 106
  - Brown Boveri, 435
  - Brush, C., 723
  - Building-integrated photovoltaic systems, 627
  - Bulk heterojunction, 690
  - Butanol, 572, 592, 600
  - Butler-Volmer equation, 357, 363–367
- ## C
- C3 and C4 plants, 614, 615
  - Calendar, 543–545
  - Calendar, proleptic, 545
  - Calvin-Benson cycle, 613, 615
  - CANDU reactor, 31
  - Canisters, 469
  - Capacity, 374, 375
  - Cape Canaveral, 471
  - CARB, 115
  - Carbohydrates, 570, 582–583, 592, 593, 608, 613–615
  - Carbon
    - in the atmosphere, 27
    - nanotube hydrogen storage, 474
    - stored on Earth, 26

- Carbon dioxide disposal
  - biological, 26
  - in the atmosphere, 592-593
  - mineral, 26
  - subterranean, 26
  - undersea, 27
- Carbon/nitrogen ratio, 606
- Carbon/phosphorus, 606
- Carbon-steam reaction, 423
- Carboxyl, 572
- Carboxylic acid, 573
- Carnot efficiency, 102-103
  - of heat pumps, 181
- OTEC, 145
- Carrier, 167, 651
- Carrier (thermal)
  - conductivity, 169-170
- Carrier multiplication, semiconductor, 639-640
- Cascade cells, 640-644
- Casson, L., 6
- Catalyst
  - fuel cells, 291, 294, 295, 302, 303, 307-321, 362-363
  - supported, 321
  - testing, parallel, 322
- Catenary, 730
- Cathode, 289
- Cathode, definition, 219
- Cathode reaction, 290
- Cation, 293, 296, 298, 364
- Cations and anions
  - (creating ions), 689, 690
- Cavitation, 813-814
- Celanese, 295, 295n
- Celestial equator, 551
- Cell potential, 291-293, 364-365
- Cell potential, standard, 293
- Cells
  - electrochemical, 287-289, 291
  - primary, 288
  - secondary, 288
- Cellulose, 570
- Centrifugal force, Gyromill, 772-773
- Ceramic
  - electrolytes, fuel cell reactions, 298
  - fuel cells (SOFC), 305-322
  - proton-conducting, 306
- Cesium adsorption, 243-245
- Cesium vapor pressure, 243
- Cetane, 577
- Chain reaction, 31
- Changes in entropy, 80-82
- Characteristics of fuel cells, 349-358
- Charge acceptance, 374
- Charging Li-ion batteries, 391, 392
- Charles, J., 419
- Chemical
  - dissociation of water, 449-451
  - nature of electrolyte, 296
  - nature of electrolyte, fuel cells, 296
  - potential, 90, 91
  - production of hydrogen, 419-434
- Chemisorption, 362
- Chemistry of batteries, 379-393
- Child-Langmuir law, 225, 227-231
- Chlamydomonas reinhardtii*, 456
- Chlorophyll, 613, 614
- Chloroplast, 609, 615
- Chord length, 755, 761, 771
- Chord, wind turbine blade, 756, 757
- Chromium, 308
- Circuit model, fuel cell, 351
- Circulation, air, 532
- cis-trans, 577
- Clarke, A. C., 690
- Clathrate, 19-20
- Clean fusion reactions, 37
- Close-cycle engines, 104
- Closed systems, 76
- Cloud point, 5
- CO
  - poisoning, 294, 295, 325
  - removal, 427-428
  - tolerance, fuel cell, 303, 316
- CO<sub>2</sub>
  - concentration, 24
  - disposal, 25-27
  - hydrogenation, 477
  - increase, 24
  - removal, 426-427
- Coal hydrogenation, 426
- Coal liquefaction, 425
- Coanda effect, 751
- Coanda, H.-M., 751n
- Cobalt sulfate filter, 644
- Cobequid Bay, 810, 810n
- Coefficient
  - conversion, 3
  - performance, maximum, thermoelectric, 182
  - of performance, 181
  - of performance, hydride heat pumps, 497-499
  - of viscosity, 752
- Cogeneration (hybrid)
  - SOFC, 294, 304, 307, 327
- Cold fusion, 37-44
- Collector (thermionic), definition, 220
- Collectors, solar, flat, 534
- Colliding beam fusion reactor, 37
- Collision
  - elastic, 61
  - frequency, 754
  - ionization, 242
- Combustion, stratified, 109
- Cominco, 435
- Composition, biomass, 569-570
- Compound parabolic concentrators, 537
- Compression ratio, 107
- Compression ratio, critical, CRC, 112
- Compressor
  - axial, 105
  - hydrogen (hydride), 492-497
  - radial, 105
- Concentration
  - cell voltage, 263
  - differential cell, 263, 264
  - differential electrolyzers, 440-442
  - intrinsic carrier, 652, 654, 668
  - of particles, 92
  - solar collectors, 535
- Concentrators
  - compound parabolic, 537
  - conical, 537, 538
  - solar, 535-538
- Condensation polymer, 582
- Conductance
  - heat, 153
  - stomatal, 609, 612, 615
- Conducting electrodes, 680-681
- Conduction losses, AMTEC, 274
- Conductivity
  - electric, 167
  - thermal, 167
  - thermal, in semiconductors, 169-170
- Configurations
  - fuel cells, 300-326
  - wind machines, 727-731
- Conical concentrator, 537, 538
- Conjugated polymers, 683, 683n
- Conservation of energy, 4
- Constants, fundamental, 2

Contact ionization, 246-247  
 Contact potential, 363, 364,  
   652n, 653-656, 704  
 Continuous digester,  
   604-606  
 Conversion coefficients, 3  
 Conversion hydrocarbon-to-  
   alcohol,  
     101-102  
 Coolant, breeder reactor,  
   31-32  
 Corundum, 420  
 Cost per watt,  
   photovoltaics, 626  
 Cost, avoided, 626  
 Coulombic efficiency, 374  
 Covalent bonds, 590  
 Coverage, degree of, 243-244  
 Crossover, fuel, 323, 348,  
   358  
 Cryogenic engines, 125, 128  
 Cryogenic hydrogen,  
   471-473  
 Crystalline photovoltaic  
   materials, 630  
 Cubic wind velocity, 731  
 Culmination (of the sun),  
   546  
 Cumulative Rayleigh  
   function, 733  
 Current from a fuel cell, 347  
 Current, ocean turbines,  
   811-815  
 Currents (ocean), energy  
   from, 810-815  
 Cutoff ratio, 109  
 Cuzco, 435  
 Cycloalkanes, 571

**D**

Daimler-Benz, 315  
 Daniell cell, 381  
 Darrieus wind turbine, 730  
 Dauenhauer, P. L., 592  
 Declination, 551  
 Declination, solar, 526  
 Decompression ratio, 75  
 Degree of (cesium) coverage,  
   243-244  
 Degrees of freedom, 61,  
   78-79  
 Delocalized electrons, 387,  
   589, 591, 682, 682n  
 Demag, 435  
 Demonstration (KOH) fuel  
   cell, 300-301  
 Density of states, 90-91  
 Departure from ideal,  
   mechanical heat  
   engines, 109-111  
 Depleted region, 480  
 Depleted uranium as fuel, 33

Depolarizer, 381  
 Depolymerization, 582  
 Desiccation of MEA, 321  
 Desorption, 478  
 Desulfurization, 426  
 Detailed balance efficiency  
   photocell, 637, 638  
 Detonation, 111-115  
 Deuterium abundance, 34  
 Deuterium-muon-tritium  
   fusion, 39  
 Deuteron/deuteron reaction,  
   37-39, 42  
 Devon, 812  
 Diamond, thermal  
   conductivity, 170  
 Diaphragms, electrolyzer,  
   436  
 Diene, 571  
 Diesel engine, 109  
 Diffusers, gas compressors,  
   105  
 Diffusion constant, 668  
 Diffusion length of an  
   exciton, 689  
 Digester  
   batch, 604, 605  
   continuous, 605, 606  
   power density of, 605  
 Digestion  
   anaerobic, 601-608  
   of glucose, 601  
 Diglycerides, 576  
 Dillon, W. P., 18  
 Dimethyl Furan (DMF), 591  
 Diol, 572  
 Direct hydrogenation of  
   coal, 426  
 Direct methanol fuel cell  
   (DMFC), 293,  
   322-323, 325, 348,  
   358  
 Direct reduction loan, 44  
 Directions and signs,  
   thermocouples,  
   199-201  
 Disadvantages of PWR, 32  
 Disadvantages of the T/D  
   reaction, 35  
 Discharge, rated time of,  
   374  
 Dispersive, ocean waves, 800  
 Dispersive system, 800  
 Displacer, Stirling, 117, 120  
 Dissociated alcohols,  
   600-601  
 District heating, 22-23  
 Donor, 651  
 Dopants, 641n, 651  
 Dormancy, 468  
 Dow ion-exchange  
   membrane, 319

Drag, 748  
   coefficient, 740, 749, 758  
   induced, 755  
   parasitic, 755  
   pressure, 755  
   skin-friction, 755  
   -type wind turbines,  
     727-729  
 Drift velocity, 167  
 Drive train, 110  
 DSSC efficiency, 670  
 DSSC, dye-sensitized solar  
   cells, 675-681  
 Duration, wind, 801  
 Dyes, sensitizing, 676  
 Dye-sensitized solar cells,  
   DSSC, 675-681

Dynamic  
   equilibrium, 289, 293, 363  
   forces, 752  
   positioning, OTEC, 149  
   pressure, 739  
   viscosity, 577

**E**

Eccentricity, orbital,  
   556-558  
 Ecliptic, 551  
 Ecliptic longitude, 551  
 Ecology, 24-25  
 Economy of scales, wind  
   turbines, 726  
 Edison battery, 384  
 Edison, T., 373, 384  
 Effective  
   heat emissivity, 237  
   mass, carriers, 653  
   octane number, 113  
 Efficiency  
   AMTEC, 272-274  
   biomass, 569  
   Coulombic, 374  
   dependence on band gap,  
     636, 637, 638  
   DSSC, 670  
   ideal, photodiode, 638  
   in thermoelectrics, 175  
   light sources, 23  
   maximum of a  
     thermocouple, 163  
   of practical fuel cells,  
     347-349  
   photocell, 632  
   photodiode  
     light power dependence,  
       662-664  
     load match dependence,  
       670-671  
     reverse saturation  
       current dependence,  
       664-667

- Efficiency (*continued*)  
 temperature  
   dependence, 667-670  
   photosynthesis, 569  
   practical, *p-n* photodiode, 674-675  
   practical, photodiode, 674  
   reversible fuel cells, 335-336  
   vacuum thermionic generators, 235-239  
   wind turbine, 744, 771  
 Egg beater wind turbine, 730  
 Eglinton, G., 615  
 Ehleringer, J., 610  
*Eichhornia crassipes*, 608, 616, 619  
 Einstein's relation, 264  
 Elastic collision, 61  
 Electric conductivity, 167  
 Electric Power Research Institute (EPRI), 304  
 Electric Vehicle (EV), 115  
 Electrochemical cells, 287, 288, 289  
 Electrode efficiency, AMTEC, 273-274  
 Electrode potential, 293  
 Electrodes, 289  
   electrolyzers, 435  
 Electrodialysis, reverse, RED, 816  
 Electrolytes, 294  
   chemical nature, 296  
   electrolyzers, 435-437  
   managing unit (zinc-air cells), 325  
   state, 295  
 Electrolytic cells, 287  
 Electrolytic hydrogen, 434-443  
 Electrolyzer, 287, 296, 334  
   diaphragms, 436  
   efficiency, 437-440  
   reversible, 334  
 Electron  
   affinity, 690  
   crystal/phonon glass, 173  
   delocalization, 682, 683  
   energy, excess, 239-240  
   -phonon interaction, 639n  
   -rich condition, 243, 249  
   transport, 224-226  
 Elementary reaction, 358-359  
 Emission  
   constant, apparent, 223  
   constant, theoretical, 222  
   field, 224  
   limited current, 225  
   non-black body, 648  
   of electrons, mechanisms, 224  
   photoelectric, 224  
   secondary, 224  
   thermionic, 222-224  
 Emissivity, heat, 236-238  
 Emissivity, spectral, heat, 236  
 Emitter (thermionic), definition, 220  
 Emitter, virtual, 229  
 Emitters, thermionic, properties, 223  
 End use load, 111  
 Energy  
   balance, planetary, 5  
   concentration, 523  
   conservation, 4-5  
   converters, wave, 802-808  
   converters, wave, offshore, 802-806  
   density, 325, 329, 377, 378, 379, 382, 391, 392  
   density, ocean waves, 801-802  
   efficiency of  
     aluminum-water hydrogen reaction, 421  
   flux, 521  
   flux, solar, 521  
   levels in Grätzel cells, 679  
   ocean waves, 802  
   partition, neutron/alpha, 34-35  
   Research Corporation (fuel cells), 304  
   resources, planetary, 16-20  
   usage, worldwide, 139  
   use, residential, 22-23  
   users, 22  
   utilization, 20-24  
   utilization rate, history, 5-9  
   utilization rate, world, 9-10  
 Engine types, 103-106  
 Englehard, 301-302  
 Enrichment of syngas, 423  
 Enrichment, uranium, 31  
 Enthalpy, 76-77, 330  
   of formation, 338  
   (reaction) dependence on pressure, 328  
   (reaction) dependence on temperature, 336-337  
 Entropy, 4, 79-82  
   change, adiabatic, 82  
   change, isobaric, 82  
   change, isometric, 82  
   change, isothermal, 82  
 Enzymatic hydrolysis, 582  
 Enzymes as catalyst for fuel cells, 321  
 Eologometry, 731  
 EOT, equation of time, 525, 553-557, 567  
 Ephemeris hour, 542  
 Epidermis (on a plant leaf), 609  
 EQE, external quantum efficiency, 677n  
 Equation of center, 556  
 Equation of time, EOT, 525, 553-557, 567  
 Equilibrium constant, 446, 448  
 Equinoctial line, 551  
 Equipartition of energy, 61  
 Equivalent weight, ion-exchange membrane, 318-319  
 Ester hydrolysis, 581  
 Esterification, 576  
 Esters, 576-581  
 Ethanol from glycerin, 580  
 Ethanol production, 594-597  
 European Marine Centre, 804  
 Eutectic, 33, 244, 540n  
 Eutrophication, 607  
 Evacuated tubes solar collectors, 531, 535  
 Excess electron energy, 239-240  
 Exchange currents, 293, 363-364, 367, 370  
 Exciton, 639, 687  
 Exciton binding energy, 688  
 Exciton diffusion length, 689  
 Exothermic reaction, 330  
 Expendable batteries, 288  
 External combustion engines, 104  
 External quantum efficiency, EQE, 677  
 Extinguished mode, 256
- F**  
 Facultative anaerobes, 602  
 Faraday constant, 332  
 Faraday, M., 373  
 Farms, marine turbine, 814-815  
 Faroe, 808  
 Fast breeder, heavy-metal, 32  
 Fast breeder reactor, 29, 32  
 Fast nuclear reactor, 103n  
 Fats, 581  
 Fatty acid profile, 577  
 Fatty acids, 574

- Faure, C., 384  
 Fermentation, 597-599  
 Fermi level, 90  
 Fermi-Dirac distribution, 90-91  
 Fermi-Dirac heat capacity, 195  
 Fertile materials, 30  
 Fertilizers, nitrogen, 10  
 Fetch (ocean waves), 799, 801  
 FFA, free fatty acids, 579, 581  
 Field emission, 220  
 Figueira da Foz, 804  
 Figure of merit, Z, 164  
   conducting electrode, 680-681  
   of a material, 164-166  
 Fill factor, 660, 662  
 Filled skutterudite, 173  
 Filter press electrolyzer, 435  
 Filtered cells, 644  
 Filtered photocells, 644  
 Filters, nonporous, 427  
 Financing, 44-46  
 Finavera, 804  
 Finegold, J., 601  
 First law of  
   thermodynamics, 64-65  
 First-generation fuel cells, 303  
 Fischer-Tropsch, 425  
 Fisher, J. C., 11  
 Fisher-Pry, 9-16  
 Fissile elements, 29  
 Fission, uranium, 30  
 Fissionables, reserve, 18  
 Fixation of CO<sub>2</sub>, 612  
 Fixed solids, 605  
 Flat solar collectors, 531, 534  
 Flattened SOFC, 312  
 Fleishmann, M., 40  
 Flex-fuel engines, 115  
 Flexure bearing, 123  
 Flux, 738  
 Flux of particles, 62  
 Forces, dynamic, 752  
 Forces, viscous, 752  
 Formic acid, 433-434  
 Formic acid hydrogen  
   storage, 477, 478  
 Fossil fuel reserves, 18  
 Fourier effect, 154  
 Fractional degrees of  
   freedom, 78  
 Fraenkel, P. L., 810  
 Free energy, 331-335  
   (reaction) dependence on  
     pressure, 343-344  
     temperature, 338-343  
 Free fatty acids, FFA, 579, 581  
 Free-piston Stirling, 117  
 Free-piston engine, 123-125  
 Freezing point, 577  
 Frequency factor, 362  
 Fresnel lens, 536  
 Friction, 84  
 Froude, W., 742, 743-745  
 Fructose, 583  
 Fuel cell(s), 288  
   active area, 351  
   advantages, 326-327  
   alkaline, 293  
   ammonia tolerance, 303, 320  
   applications, 326-329  
   bipolar, 301  
   catalysts, 319-321  
   ceramic, 305-310  
   characteristics, 349-350  
   chemical nature of  
     electrolyte, 296  
   circuit model, 351  
   classification, 293-294  
   CO tolerance, 303, 316  
   configurations, 306-326  
   construction (SPFC), 316-318  
   current, 297  
   demonstration, (KOH), 300-301  
   direct methanol (DMFC), 322-323  
   efficiency (reversible), 335-336  
   empirical, 350-351  
   Energy, Inc., 304  
   heat dissipation by, 370-372  
   heat rejection, 370  
   heat removal from, 372-373  
   internal resistance, 372  
   Joule loss, 372  
   kinetics, 294, 302, 319, 336, 348, 349, 353, 358-363, 369, 370  
   molten carbonate, 303-305  
   operating temperature, 294-295  
   phosphoric acid, 301-303  
   practical, efficiency, 348-349  
   reactions, 297-300  
     acid electrolyte, 297  
     alkaline electrolyte, 297  
     ceramic, 298  
     methanol, 298  
     molten carbonate  
       electrolyte, 298  
   scaling, 352-353  
   side reactions, 358  
   solid oxide, 305-314  
   solid polymer, 314-322  
   specific resistance, 351, 352  
   state of electrolyte, 295  
   stationary power plants, 326-327  
   sulfur tolerance, 320  
   thermodynamic heat  
     power, 370  
   type of fuel, 295-296  
   V-I characteristics, 349-350  
 Fuel crossover, 323, 348, 358  
 Fuel processor, 320  
   compact, 429-433  
   efficiency, 422  
   room temperature, 433  
 Full-wave rectifier, 281  
 Functional groups, 573  
 Functions of state, 76  
 Fundy Bay, 810  
 Furan, 591  
 Fusion  
   cold, 37-44  
   muon catalyzed, 38-39  
   piezonuclear, 40  
   reaction, 34-37  
   reactions, clean, 36

## G

- Gallium-aluminum alloy, 421  
 Galvanic cells, 287n  
 Gamma, 66  
 Gamma phase, hydrides, 480  
 Gamma Stirling, 117  
 Gammas for hydrogen,  
   oxygen, and water  
   vapor, 341  
 Garbage dumps, 606, 607  
 Gas  
   constant, 63  
   flow plate, 317, 318  
   spring, 123  
 Gasifiers, wood, 594  
 Gasohol, 114  
 Gasoline, 111  
   heat of combustion, 111  
   leaded, 113  
 General Electric, 442  
 General Electric fuel cells, 315  
 Generator, thermoelectric, 160-164  
 Geocentric system, 525  
 Glazer, P., 692  
 Glenfjord, 434

- Global Thermoelectric Corp. (fuel cells), 305
- Glucose, 583
- Glucose digestion, 601
- Glyceraldehyde, 598
- Glyceric acid, 598
- Glycerin, 572, 576, 579, 602
- Glycerol, 572, 580, 581
- Glycyl alcohol, 572
- GMT, Greenwich mean time, 543
- Göettingen, 749, 750, 754
- Gonzalez, R., 580
- Grätzel cells, 675-680
- Gradual compression, 70-71
- Graphene, 387-389
- Graphite, 387-389
- Gravimetric
  - concentration, 468, 469, 474, 511
  - energy concentration target, 469
  - energy density, 376-379, 391
  - power density, 315, 377-379
  - storage capacity, 474
- Gray body, 236
- Greenwich mean time, GMT, 543
- Gregorian calendar, 544, 545
- Group velocity, ocean waves, 800
- Groves, S. W., 288
- Growth, F., 726
- Gruman, 731
- Gulf Stream, 739
- Gyromill, 730, 771, 773
- Hahn, O., 31
- Half-cell potential, 365
- Half-cell reaction, 289
- Half-reaction, 289
- Half-wave rectifier, 281
- Hammerfest Stroem, 811
- Harber-Bosch, 434
- Harkness, D. D., 615
- Harvesting efficiency, light, 677
- Head, hydroelectric, 145-146
- Heat
  - absorptivity, 237
  - capacity, Fermi-Dirac, 195
  - capacity of hydrides, 486, 488, 496
  - conductance, 153
  - conduction, 190
  - content, 77
  - dissipation in fuel cells, 370-373
  - emissivity, 236-238
  - emissivity, effective, 238
  - emissivity of some materials, 282
  - emissivity, total, 238
  - engine, solar, 538-540
  - exchangers, OTEC, 148
  - flow measurement, 158
  - of combustion, 100
  - of combustion, gasoline, 111
  - of combustion, higher, 100, 330
  - of combustion, lower, 99, 330
  - of vaporization, 331
  - pump, hydride, 497-499
  - pumps, thermoelectric, 180-188
  - radiation, 236-238
  - regeneration, 117, 121
  - removal from fuel cells, 372-373
  - sink, thermocouple, 155
  - source, thermocouple, 155
  - storing wall, 532
  - transfer across, temperature differences, 84
- Heaving buoy converters, 803-804
- Heavy hydrogen, 39
- Heavy-metal fast breeder, 29
- Heavy-metal nuclear reactor, 29, 103
- Hebrides, 808n
- Height, ocean waves, 801
- Heliocentric system, 525
- Heliostat, 539
- Helmholtz layer, 365
- Hemicellulose, 570, 583, 597, 620
- Hero of Alexandria, 6
- Heterocycles, 584-592
- Heterojunction, 687
- Hexose, 583
- High-temperature ceramic fuel cells, 310-312
- Higher heat of combustion, 99-100, 330
- Highest occupied molecular orbital, HOMO, 687
- Highly mismatched alloys, 642
- High-pressure
  - diodes (thermionic), 242
  - thermionic generators, 257
- Hindenburg, 418
- Hinged Contour Converters (ocean), 804-805
- Hologram efficiency, 644, 645
- Holographic concentrators, 644
- Holographic solar collectors, 536
- HOMO, highest occupied molecular orbital, 687
- Homojunction, 687
- Horizontal
  - axis turbine, 756-762
  - forces, marine turbines, 812-813
  - surface, insolation, 530-531
- Hourangle, solar, 525
- Huang, Y., 615
- Hybrid
  - automotive engines, 115-116
  - bonds, 584
  - orbitals, 587
- Hydrated alcohol, 597
- Hydrated methane, 18
- Hydraulic turbines, OTEC, 139-142
- Hydrazine, 296
- Hydride, 41
  - heat pump, 497-499
  - hydrogen compressor, 492-497
  - hydrogen storage, 386, 490-492
  - metal, 468
  - systems thermodynamics, 490-492
- Hydrocarbons, oxidation states, 571-576
- Hydroelectric head, 145-146
- Hydrogen
  - adsorption, 468
  - adsorption storage, 473-474
  - advantages, 417-418
  - bonds, 590, 591
  - carriers, 475-476
  - chemical production of, 419-426
  - compression, 468, 494
  - compressor, hydride, 492-497
  - cryogenic, 471-473
  - electrolytic, 434-440
  - extraction, 427-428
  - gas stations, 435, 492
  - heavy, 39
  - liquefaction, 468
  - only systems, 468
  - permeation rate, 428
  - production history, 419-420
  - production processes, 419
  - production sequence, 429
  - production, aluminum-water, 420
  - production, large-scale, 422-426

Hydrogen (*continued*)  
 production, metal-water,  
 420–422  
 purification, 426–429  
 safety, 418  
 storage, formic acid, 477,  
 478  
 transfer rate, 428  
 underground storage, 470  
 uses, 417  
 Hydrogen/metal ratio, 479  
 Hydrogenase, 321, 456  
 Hydrogenation of coal, 426  
 Hydrogenation,  $\text{CO}_2$ , 477  
 Hydrolysis, 581, 582, 596,  
 602, 620  
   acid, 582  
   enzymatic, 582  
   of esters, 581  
 Hydronium, 297, 321, 380  
 Hyperthermophiles, 602n  
 Hysteresis, sorption, 480,  
 484

## I

ICV, 115  
 IdaTech fuel processors, 320,  
 427, 429, 430, 433  
 Ideal diode efficiency, 663  
   *p-n* photodiode, 636, 639,  
 640, 666  
 Ideal efficiency of photocell,  
 black body, 637, 648,  
 664  
 Ignited mode, 219, 256  
 Impact ionization,  
 semiconductor,  
 639–640  
 Implementation, Stirling  
 engine, 122–123  
 Incident photon conversion  
 efficiency, IPCE,  
 677n  
 Independent Natural  
 Resources, Inc., 804  
 Indium gallium nitride,  
 InGaN, 641  
 Indium tin oxide, ITO, 680  
 Induced drag, 755–756  
 Induced velocity, 763  
 InGaN, indium gallium  
 nitride, 641  
 Insolation, 524  
   at different American  
   cities, 530  
   average, 527–528, 530, 626  
   horizontal surface,  
   530–531  
   stationary surface,  
   527–530  
   suntracking surface, 527  
 Insulation, building, 531

Intercalation compounds,  
 387–389  
 Interelectrode potentials,  
 231–233  
 Internal combustion engines,  
 115, 124  
 Internal energy, 63, 64  
 Internal resistance  
   fuel cell, 372  
   losses, *p-n* photodiode,  
   651,  
   659, 661  
   photocells, 651  
 International Fuel Cell  
 Corp, 323  
 Intrinsic carrier  
   concentration, 652,  
   654, 668  
 Inverter, utility-intertie, 626  
 Iodine value, 579  
 Ion emission, thermionic,  
 247–248  
 Ion exchange membranes,  
 436, 440  
 Ionic bonds, 589  
 Ionization, contact, 242,  
 246–247  
 Ionization potential, 246,  
 292, 690  
 Ion-rich condition, 243, 249  
 Ion-richness parameter,  
 beta, 249  
 IPCE, incident photon  
 conversion efficiency,  
 677n  
 Iron/water reaction, 420n  
 Irreversibilities, 84  
 Irreversible process, 67,  
 82–83  
 Isentropic  
   efficiency, 145  
   processes, 71, 143–144  
   turbine, 144–145  
 Islay, 808  
 Isobaric, entropy change, 81  
 Isometric, entropy change,  
 81  
 Isooctane, 112–113  
 Isothermal  
   compression, 344  
   entropy change, 81  
   processes, 74–76  
 Isotherms, hydrides,  
 478–479, 484–490  
 Isotopes, uranium, 30  
 ITO, indium tin oxide, 680

## J

Jet Propulsion Lab., JPL  
 (DMFC), 322

Johnson Matthey  
 fuel cell components, 317,  
 320  
 Jojoba, 581  
 Jones, S. E., 38, 39, 40  
 Joule  
   effect, 154  
   loss, fuel cell, 372  
   losses, 181, 190  
 Julian calendar, 545  
 Julian day number, 545  
 Julius Caesar, 544

## K

Kassakian, J., 648  
 Kelvin's relations, 195–199  
 Ketohexoses, 583  
 Ketone, 572, 573, 583  
 Khelifa, L. B., 615  
 Kilomoles, 63  
 Kinematic Stirling engines,  
 117–123  
 Kinematic viscosity, 577,  
 753  
 Kinetics, fuel cell, 294, 298,  
 319,  
 336, 348, 349,  
 358–363  
 Kirchhoff's thermodynamic  
 law, 237  
 Klass, D. L., 603  
 Klimov, V. I., 639  
 Knocking, 109, 111–115  
 Knudsen condition, 268  
 Kyoto Treaty, 25

## L

Lactic acid, 593, 597, 599  
 Lactose, 583  
 Langley, 524  
 Langmuir assumption, 270  
 Large-scale hydrogen  
   production, 422–426  
 LAST, 172  
 Latent heat of condensation,  
 331  
 Latent heat of phase  
   change, 81  
 Latent heat of vaporization,  
 331  
 Lattice (thermal)  
   conductivity, 169–170  
 Lavoisier, 288  
 Lead arsenide, PbSe, 639  
 Lead resistance losses, 241  
 Lead resistance, thermionic  
   diodes, 241  
 Lead-acid batteries, 373,  
 375, 383–384  
 Leaded gasoline, 113  
 Leclanché cell, 381

- Lifetime of minority
    - carriers, 638, 665, 668, 672, 673, 675
  - Lift, 748-751
  - Lift coefficient, 749, 750
  - Lift-type wind turbines, 729-730
  - Light absorption by water, 454
  - Light
    - absorption,
      - semiconductors, 631
      - emitting mantle, 649
      - harvesting efficiency, 677
      - sources, efficiency, 23
  - Lignin, 570, 582, 597, 602
  - Li-ion batteries, 386-393
  - LIMPET, 808
  - Liquefaction, coal, 425
  - Liquid-fed AMTEC, 274
  - Lithium cobalt oxide, 391
  - Lithium-ion batteries, 386-393
  - Load mismatch, photocells, 651
  - Loading rates, digesters, 604-605
  - Loan, direct reduction, 44
  - Loferski, J. J., 638
  - Logistics function, 11
  - London, A. L., 145
  - Longitude of perihelion, 551
  - Longitude, ecliptic, 551, 554, 555
  - Lorenz number, 168-169
  - Loss mechanisms in photocells, 650
  - Losses
    - in SPFC summary, 370
    - in thermionic generators, 236-241
    - in vacuum diodes, 235-241
    - wing tip, 748
  - Louis XVI, 419
  - Low-temperature ceramic fuel cells, 312-314
  - Lower heat of combustion, 99, 330
  - Lowest temperature, thermoelectric, 182
  - Lowest unoccupied molecular orbital (LUMO), 687
  - Low-pressure diodes (thermionic), 242
  - LSGM, lanthanum gallate, 295
  - Lubricity, 577
  - LUMO, lowest unoccupied molecular orbital, 687
  - Lunation, 811
  - Luque, A., 642
  - Lurgi, 435, 436, 442
  - Lyman series, 685
- ## M
- Mach number, 473
  - Maelstrom, 815
  - Magnus effect, 730, 776-777
  - Magnus effect wind machines, 730
  - Makah Bay, 804
  - Malthus, T. R., 10
  - Maltose, 583
  - Manatee, 608
  - Manzanara, 540
  - Marchetti, C., 14
  - Mariculture, 149
  - Marine Current Turbine, 811-815
  - Marine turbine farms, 814
  - Market penetration, 11
  - Market penetration function, 10-16
  - Marquis d'Arlandes, F. L., 419
  - Martí, A., 642
  - Mass
    - action law, 359
    - exchanger, 816
    - of nucleons, 29
  - Maximum heat pumping, thermoelectric, 181
  - Maximum power output, thermionic diodes, 234-235
  - Maxwellian distribution, 61, 87-89
  - MCFC, molten carbonate fuel cells, 294, 303-305
  - McKinnon, T., 601
  - MEA (membrane/electrode assembly), 316-317
  - Mean
    - anomaly, 555, 556
    - cubic wind velocity, 731
    - free path, 174, 280, 282
    - free path of sodium ions, 269
    - solar hour, 542, 546
    - sun, 525
  - Melis, A., 456
  - Membrane, proton conducting, 318
  - Membrane/electrode assembly (MEA), 316-317
  - Mensis intercalaris, 544
  - Mercedonius, 544
  - Mesophilic, 606
  - Mesoscopic layer, 677
  - Metal hydrides, 477
  - Metallic bonds, 589
  - Metallic Power, Inc. (zinc-air cells), 325
  - Metal-water hydrogen production, 420-422
  - Methanation, 424-425
  - Methane
    - clathrate, 19-20
    - molecule, 587-588
    - yield, 605
  - Methanogenesis, 602
  - Methanol, 425
  - Methanol fuel cell reactions, 298
  - Methoxide, 580
  - Methyl vs. ethyl esters, 579
  - Microwave generation, SPS, 694-695
  - MIT photovoltaic effort, 648-649
  - Mixture (Otto cycle), 106
  - Moderators, nuclear, 31
  - Molecular orbitals, 587-590, 682
  - Molten carbonate
    - electrolytes, fuel cell reactions, 298
  - Molten carbonate fuel cell (MCFC), 303-305
  - Momentum space, 88
  - Monoglycerides, 576
  - Monosaccharides, 582
  - Monounsaturated, 574
  - Montgolfier, 419
  - Morrison, O., 650
  - Morveau, 288
  - Multiband semiconductors, 642-643
  - Multiple stream tubes, 769
  - Multivariate market share competition, 14
  - Muon catalyzed fusion, 38-39
  - Muon production, 39
  - Muonic atoms, 38
- ## N
- n-Octane, 112, 113
  - NACA, 749
  - NACA 4412 data, 759
  - Nafion, 295n, 319, 322
  - Nakamura, S., 641
  - Nanoparticle thermoelectric material, 174
  - Naphthalene, 387
  - Negative entropy, 86
  - Negentropy, 86
  - Nernst equation, 344-345
  - Net<sub>3</sub>, triethylamine, 434
  - Neutron absorption
    - cross-section, 31

- Neutron/alpha energy partition, 34
- NiCd, nickel-cadmium batteries, 384-385
- Nickel-cadmium batteries, NiCd, 384-385
- Nickel-iron batteries, NiFe, 384
- Nickel-metal hydride batteries, NiMH, 385-386
- NiFe, nickel-iron batteries, 384
- Niter, 540n
- Nitrogen fertilizers, 10
- Noise in thermoelectrics, 175
- Noise, available power, 279
- Non-black body emission, 648
- Nonexpendable cells, 288
- Nonimaging solar concentrators, 535-536
- Nonpolarizable electrode, 365
- Nonporous filters, 427
- Normalized time variable, 13
- Norsk Hydro, 434
- Norwave, 806-807
- n-region, 363, 651, 656
- Nuclear
  - batteries, 329
  - binding energy, 29
  - energy, 27-44
  - energy, installed capacity, 28
  - energy, utilization factor, 28
  - reactor, fast, 29, 32
  - reactor, heavy metal, 29, 32
  - waste, 29, 33
- Nucleon, mass, 29
- O**
- Obligate anaerobes, 602
- Obliquity, 551
  - orbital, 558
- Ocean
  - current energy, 810-815
  - current turbines, 811-815
  - Power Delivery, Ltd., 804
  - temperature profile, 139
  - wave energy, 802
  - wave velocity, 800
  - waves, height, 801
- Octane, 112-113
- Octane rating, 112
- Octane value, blending, 114
- Octavian (Augustus), 544
- Off-grid electric systems, 626
- Offshore wave energy converters, 802-806
- Oils, 570
- Olago, 615
- Olefins, 571
- Omega-carbon, 575
- OPEC, 6, 7
- Open systems, 76
- Open-circuit voltage
  - AMTEC, 264
  - fuel cells, 358
  - in thermionic diode, 233-234
  - p-n* photodiode, 660
- Open-cycle engines, 104
- Operating temperature, fuel cell, 294-295
- Orbit, 685
- Orbital eccentricity, 556
- Orbital obliquity, 558
- Orbitals, 586-591, 685
  - atomic, 587
  - hybrid, 587
  - molecular, 587-590
- Organic photocells, 681-690
- Organic polymers, photovoltaic materials, 630
- Orkney, 804, 805
- Ortho-hydrogen, 471
- Oscillating water column converters, 803, 806
- Osmosis, pressure-retarded, PRO, 816
- Osmotic
  - engine, 820-822
  - engine, PRO, 816
  - pressure, 816, 820
- OTEC
  - configurations, 139-142
  - dependence on  $\Delta T$ , 145
  - design, 146-148
  - dynamic positioning, 148
  - efficiency, 145-146
  - heat exchangers, 148
  - hydraulic turbines, 140-141
  - siting, 148-149
  - vapor turbines, 141-142
  - water volume, 146
- Otto cycle, 106-111
- Otto engine, 106-111
- Overall reaction, 291
- Overtopping converters, wave, 805-806
- Overvoltage, 438
- Ovshinsky, S., 385
- Oxidant, 292
- Oxidation, 288
- Oxidation states, hydrocarbons, 571
- Oxidizing agent, 292
- Ozone, 521
- P**
- p-n* junction, 651-654
- PAFC, phosphoric acid fuel cells, 294, 301-303
- Palladium filter, 427-428
- Palladium hydrogen filter, 320
- Paraffins, 571
- Para-hydrogen, 471
- Parallel hybrid vehicles, 115
- Parallel testing of catalysts, 322
- Parasitic drag, 755
- Parasitic losses, AMTEC, 273
- Partial oxidation, POX, 422
- Paschen series, 683
- Passivation, aluminum, 420
- Pauli exclusion principle, 90
- PbSe, lead arsenide, 639
- PEDOT, 688
- Pelamis, 804-805
- Pelamis Wave Power, 804
- Peltier coefficient, 156
- Peltier effect, 156, 190, 193
- Pembrokeshire, 806
- Pentose, 582
- Perfect-gas law, 62
- Performance calculation, vertical axis turbine, 773-775
- Performance factor, 469
- Performance of thermoelectric materials, 171-175
- Periapysis, 548n
- Periastron, 548n
- Pericenter, 548n
- Perifocus, 548n
- Perigee, 548n
- Perihelion, 548n
- Period, ocean waves, 799
- Permeability, 816
- Permeation rate, hydrogen, 428
- Permian extinction, 20
- Perovskite, 309
- Persian wind turbine, 727
- Perveance, 229
- Peterka, V., 14, 16
- Peukert number, 375
- Peukert's law, 375-376
- Phase change, latent heat, 81
- Phase velocity, ocean waves, 799-800
- Phonon/carrier drag, Seebeck effect boost, 175

- Phonon-electron interaction, 192
- Phonons, 192
- Phospho-enol-pyruvate (PEP), 614
- Phosphoglyceric acid (PGA), 614
- Phosphoric acid fuel cells (PAFC), 294, 301-303
- Photobiological hydrogen production, 456
- Photocell, 631
- Photocell efficiency, 632
- Photocells, theoretical efficiency, 631-638
- Photodiode, 631, 651
- Photodiode model, 658
- Photoelectric emission, 224
- Photoelectron losses in Grätzel cells, 678-679
- Photolytic hydrogen, 453-456
- Photonic crystal, 647
- Photonics, 646-647
- Photorespiration, 456n, 615
- Photosynthesis, 608-616
- Photosynthetic efficiency, 611, 612
- Photovoltaic cell, 631
- Photovoltaic materials  
amorphous thin film, 630  
building-integrated, 627  
crystalline photovoltaic materials, 630  
organic polymers, 630  
plant, utility-scale, 629-630
- Physics of thermoelectricity, 190-199
- Pi-bonds, 584, 585, 589, 682-683
- Piezonuclear fusion, 40
- Piltre de Rozier, J.-F., 419
- Planck's equation, 632
- Planetary energy balance, 5
- Planetary energy resources, 16-20
- Plant utilization factor, 21
- Planté cell, 384
- Planté, G., 373, 383
- Plasma drop, 236, 255, 256
- Plateau, 480
- Platinum sponge, 362
- Plug-in hybrid, 116
- Plutonium, 116
- Plutonium production, 32
- Point absorbers (ocean), 804
- Polarization, 380, 381
- Polybenzimidazole, 295
- Polycyclic compounds, 388
- Polyene, 571n
- Polyisoprenes, 570
- Polymer solar cell, PSC, 687-690
- Polyol, 572
- Polytropic law, 71, 72-73
- Polyunsaturated, 574
- Pons, S., 40, 41, 42
- Population growth, 9-10
- p-orbitals, 586, 587, 589
- Porphyrins, 677
- Power  
delivered, wind turbine, 731  
density, 305, 308, 313, 314, 327, 377  
density in the wind, 731  
density, available, wind, 729  
density, digester, 605, 606  
density, ocean currents, 810  
density, ocean waves, 801  
density, solar, 522  
piston, Stirling, 117, 120  
ocean waves, 802  
-to-photon flux ratio, black body, 634
- POX (partial oxidation), 422
- Practical efficiency, *p-n* photodiode, 657
- Practical fuel cells, efficiency, 347-349
- Pre-exponential factor, 362
- Prefixes and symbols, SI, 2
- p-region, 651
- Pressure  
air, 739  
drop in sodium column, 267  
of a gas, 62  
retarded osmosis, PRO, 816  
swing adsorption, PSA, 426  
-volume work, 65
- Pressurized water reactor (PWR), 32
- Primary alcohol, 572
- Primary batteries, 379-383
- Primer, semiconductor, 699-705
- Prince, M. B., 637
- Principal value, 526
- PRO osmotic engine, 816
- PRO, pressure retarded osmosis, 816
- Processes in heat engines, 103-106
- Proleptic calendar, 545
- Propane alcohols, 573
- Propanetriol, 572-573
- Propeller-type wind turbine analysis, 756-762
- Proton-conducting ceramic, 306
- Proton-conducting membrane, 318
- Proton conductivity, anhydrous, 324
- Proved reserves, 18
- Pry, R. H., 11
- PSA, pressure swing adsorption, 426
- PSC, polymer solar cell, 687-690
- Psychrophilic, 606
- P-Tr extinction, 20
- Pumping friction, 110
- Purification of hydrogen, 426-428
- PWR, disadvantages, 32
- PWR, pressurized water reactor, 32
- Pyrolysis, 425
- Pyruvic acid, 598
- Q**
- Quantum efficiency, 677, 679
- Quaternary alloys, 477
- R**
- Radial compressor, 105
- Radiation  
losses, 279  
losses in thermionic generators, 236-239  
losses, AMTEC, 273-274  
of heat, 236-239  
system, SPS, 695-696
- Radio noise, 279
- Radioactive decay, 27
- Radioactive emissions, coal plants, 25
- Radioisotope Thermal Generator, RTG, 27, 116, 176
- Radionuclides in thermoelectrics, 176
- Radon, 532
- Ragone plot, 376-379
- Rance River, 810
- Rankine cycle, 103, 104, 105
- Rankine engine, 103
- Rankine-Froude theorem, 742, 743-745
- Rated time of discharge, 375
- Rayleigh distribution, wind, 732-734
- Rayleigh function, cumulative, 733

- Reaction  
   anode, 289  
   cathode, 289  
   constant, 359  
   order, 359  
   overall, 291  
   rates, 358–360, 610  
 Reactions, fuel cell, 297–300  
   acid electrolyte, 297, 299  
   alkaline electrolyte, 297, 299  
   ceramic electrolyte, 298, 299  
   methanol, 298  
   molten carbonate electrolyte, 298, 299  
 Reactor, nuclear, 103  
 Real vacuum diodes, 241–242  
 Receiving array, SPS, 696  
 Rechargeable batteries, 288  
 Rectification (alcohol), 596, 597  
 Rectifier, full-wave, 281  
 Rectifier, half-wave, 281  
 Recuperators, 533  
 RED, reverse electro dialysis, 816  
 Redox reaction, 288  
 Reducing agent, 292  
 Reductant, 292  
 Reduction, 288  
   oxidation, 288  
   potential, 292  
 Reference electrode, 365  
 Reference plane, airfoils, 748  
 Reference temperature and pressure (RTP), 330, 739  
 Reformate, 295  
 Refrigerators, thermoelectric, 180–188  
 Refuelable cells, 288  
 Refuelable devices, 288  
 Refueling rate, 469  
 Regeneration, heat, 117, 121  
 Regenerator, Stirling, 120, 121  
 Reliability in thermoelectrics, 175  
 Reserve growth, fuel, 18  
 Reserves  
   fissionables, 18  
   fossil fuels, 18  
   proved, 18  
   undiscovered, 18  
 Residential energy use, 20, 24  
 Retarded flow, 816  
 Retarding interelectrode potential, 225  
 Reverse saturation current, 658–659, 662, 665, 671  
 Reversibility, 82–84  
 Reversible  
   adiabatic process, 70  
   electrolyzer, 334  
   fuel cells, efficiency, 335–336  
   voltage (fuel cell), 332  
 Reynolds number, 751–754  
 Ribbed SOFC, 312–313  
 Ribulose (RuDP), 614  
 Richardson's equation, 222  
 Right ascension, 551  
 Ringbom Stirling, 117  
 Robert brothers, 419  
 Room temperature fuel processor, 433  
 Rose Street Labs, 643  
 Rotor loading, 737, 757  
 RTG, Radioisotope Thermal Generator, 27, 116, 176  
 RTP, 330–331, 739  
 Rubbing friction, 110  
 RuCl<sub>2</sub>(PPH)<sub>3</sub>, 434  
 R-values, 553  
  
**S**  
 Sabatier and Sedersens, 425  
 Saccharomyces cerevisiae, 596, 597, 599  
 SAFC, solid acid fuel cells, 324–325  
 Safety, hydrogen, 418  
 Saha–Langmuir equation, 248  
 Saint Malo, 810  
 Salination energy, 816–820  
 Saltpeter, 540  
 Samarium-doped ceria, SDC, 294, 295, 313, 314  
 Saponification, 581  
 Saturated, 571, 574  
 Saturated region, 480  
 Saturated thermionic diode, 225  
 Savonius wind turbine, 729  
 Scale factor, Weibull, 734  
 Scaling fuel cells, 352  
 Schaller, R. D., 639  
 Schiaparelli, G., 806  
 Schmidt, L. D., 592  
 SDC, samarium-doped ceria, 294, 295, 313, 314  
 Seadog, 804  
 Sea flow, 811  
 Second law of thermodynamics, 80  
 Secondary alcohol, 572  
 Secondary batteries, 288, 383–393  
 Secondary emission, 224  
 Seebeck  
   coefficient, 157  
   coefficient of metals, 171  
   coefficient of semiconductors, 171  
   coefficient, mean, 157, 199  
   effect, 189–193  
   effect boost, phonon/carrier drag, 175  
   voltage, 191  
 Semiconductors, multiband, 642–644  
 Sensitizing dyes, 678  
 Series hybrid vehicles, 115  
 Setup angle, Gyromill, 762, 763  
 Setup angle, wind turbine blade, 758, 763, 767  
 Sewage treatment, 607–608  
 Shape factor, Weibull, 734  
 SHE, standard hydrogen electrode, 291, 365  
 Sheet resistance, 680  
 Shift reaction, 296, 424  
 Shirakawa, 681  
 Shockley and Queiser (SQ), 637, 638  
 Shoreline wave converters, 806–808  
 SI, Système International, 1  
 Side-reactions in fuel cells, 358  
 Sidereal time, 546  
 Siemens Westinghouse fuel cells, 310  
 Sigma-bonds, 584, 589, 682–683  
 Silicon in Lithium-ion batteries, 392  
 Silicon nanowire thermoelectrics, 174  
 Silver-silver chloride electrode, 365  
 Simple alcohol, 572  
 Single chamber fuel cells, 312–313  
 Single streamtube, 769  
 Size of wind turbines, optimal, 725–726  
 Skin-friction drag, 755  
 Skutterudite, 173  
 Slope parameter, 484  
 Smith–Putnam, 723  
 Sodium as coolant in reactors, 33  
 Sodium column, pressure drop, 267

- Sodium ions, mean free path, 269
- Sodium, vapor pressure, 255-267
- SOFC, solid oxide fuel cells, 294, 305-314
- Solar
  - architecture, 531-534
  - azimuth, 526, 527
  - collectors, 531-535
  - collectors, evacuated tubes, 535
  - collectors, flat, 534
  - collectors, holographic, 536
  - concentrators, 535-538
  - concentrators, nonimaging, 537
  - constant, 521, 524
  - constant, surface, 524
  - day, 546
  - declination, 526
  - energy conversion, SPS, 693-694
  - energy flux, 521
  - heat engine, 538-540
  - hour angle, 525
  - hour, mean, 542
  - One, 539
  - photolysis, 453-456
  - ponds, 148-149, 541
  - power density, 521
  - power density table, 522
  - power satellite (SPS), 690-697
  - radiation, 5
  - spectral power density, 521
  - spectral power density spectrum, 523
  - spectrum, 453
  - tower, 540
  - Two, 539
- Solid
  - acid fuel cells, SAFC, 324-325
  - polymer electrolyte fuel cells, 314-316
  - polymer electrolyzer (SPE), 436, 439, 442
  - polymer fuel cells, 294, 314-322
- Solidity, 762, 766 (SPFC), 314-322
- Solvent extraction, syncrude, 426
- s-orbitals, 587
- Sorption, 478
- Sorption hysteresis, 480, 484
- SOS, state of charge, 376
- Sources of energy, 20
- sp hybrids, 589
- sp<sup>2</sup>, 682
- sp<sup>3</sup> hybrids, 588
- Space
  - charge-limited current, 225
  - charge neutralization, 231, 248-249
  - construction, SPS, 697
  - plane, 471
  - transportation, SPS, 697
- Specific heat at constant pressure, 65
- Specific heat at constant volume, 63
- Specific heat ratio, "gamma", 66
- Specific heats at constant pressure
  - H<sub>2</sub>, O<sub>2</sub>, H<sub>2</sub>O, 341-342
  - rated capacity, wind turbine, 737
  - resistance, fuel cell, 352-353
  - resistivity, AMTEC, 272
- Spectral
  - distribution of heat radiation, 649
  - heat emissivity, 236
  - power density spectrum, solar, 523
  - power density, solar, 521
- Spectrum efficiency, ideal, 650
- Spermaceti, 581
- SPFC, solid-polymer fuel cells, 294, 314-322
- SPS
  - attitude and orbital control, 693-697
  - beam from space, 692-693
  - microwave generation, 694-695
  - radiation system, 695-696
  - receiving array, 696
  - solar energy conversion, 693-694
  - solar power satellite, 690-697
  - space construction, 697
  - space transportation, 697
- SQ, Shockley and Queiser, 637, 642
- SRG, Stirling radioisotope generator, 177
- Stagnation point, 473
- Stagnation temperature, 472-473
- Stall, airfoil, 751
- Standard
  - cell potential, 293
  - enthalpy of formation, 330
  - hydrogen electrode, 291, 365
  - hydrogen electrode, SHE, 291
  - time, 543
- Standard Temperature and Pressure (STP), 331n
- Starch, 582
  - of electrolyte, 295
  - of electrolyte, fuel cells, 295
- Stationary power plants, fuel cell, 326-327
- Stationary surface, insolation, 527, 530
- Statistic, how to plot, 86-87
- Steam reforming, 295, 422-423
- Stefan-Boltzmann constant, 236
- Stefan-Boltzmann law, 236, 633
- Steric factor, 362
- Stirling
  - engine, 104, 116-125
  - engine, alpha, 117-120
  - engine, free-piston, 123-125
  - engine, implementation, 122-123
  - engines, kinematic, 117-123
  - Radioisotope Generator, SRG, 177
- Stoichiometric index, 479
- Stoma, 609
- Stomatal conductance, 609, 612, 615
- Storm waves, 801
- STP, Standard temperature and pressure, 331n, 739n
- Straight vegetable oil (SVO), 577, 580
- Stratified combustion, 109
- Street-Perrott, F., 615
- Sucrose, 583
- Sugars, 582, 583
- Sulfur tolerance, fuel cell, 320
- Sun, temperature, 523
- Sundalsø, 816
- Suntracking surface, insolation, 527
- Supercapacitor, 379
- Superionic conductor, 324
- Superlattice, 174
- Superprotonic conductor, 324
- Supported catalyst, 321
- Surface reflectance photocells, 650

- Surface solar constant, 524  
 Swanson, R., 646  
 Swept area, 731  
 Symbology, in  
   thermodynamics, 329  
 Symbology, thermionic  
   diodes, 245  
 Syncrude, 425-426  
 Syncrude, solvent  
   extraction, 425-426  
 Syngas, 295
- T**
- <sup>232</sup>Th production, 32  
*Tert* alcohol, 572  
 Tafel equation, 355  
 TAGS,  
   Tellurium-antimony-  
   gesmanium-  
   silver, 172  
 Takahashi, Akito, 43  
 Takeover time interval, 11,  
   12  
 Tank electrolyzer, 435  
 Tapchan, 806-807  
 Tapered channel converters,  
   806-807  
 Tapetum, 689  
 T-D reaction,  
   disadvantages, 35  
 Teledyne, 442  
 Temperature, 61  
 Temperature dependence  
   dependence,  $c_p$  and  $\gamma$ , 78  
   of emitters, preferred, 223  
   of operation, fuel cells,  
     294-295  
   of the sun, 523  
   of thermocouples, 184-189  
   profile, ocean, 139  
   swing adsorption, TSA,  
     426  
 Temperature swing  
   adsorption (TSA),  
     426  
 Ternary alloys, 477  
 Terpenes, 570  
 Tertiary alcohol, 572  
 Tetraethyl lead, 112, 113  
 Tetrol, 572  
 Theoretical efficiency,  
   photocells, 631-638  
 Thermal  
   conductivity, 166  
   conductivity (carrier),  
     169-170  
   conductivity (lattice),  
     169-170  
   conductivity in solids,  
     169-170  
   conductivity, diamond,  
     169  
   conductivity,  
     semiconductors,  
       169-170  
   decomposition of alcohols,  
     423  
   energy, 64  
   velocity of carriers, 167  
 Thermalization of excitons,  
   639  
 Thermionic devices,  
   advantages, 221  
 Thermionic efficiency  
   radiation losses only,  
     238-241  
 Thermionic emission,  
   222-224  
 Thermionic emitters,  
   properties, 223  
 Thermionic generators  
   losses, 236-241  
   radiation losses, 236-240  
 Thermionic ion emission,  
   247-248  
 Thermocouple, 155  
   alloys, commercial names,  
     159  
   calibration, 160  
   database, 160  
   directions and signs,  
     199-201  
   efficiency, 160-162  
   materials, characteristics,  
     159  
   maximum efficiency, 163  
   optimizing, 163  
   pairs, standardized, 159  
 Thermodynamic heat  
   power, fuel cell, 372  
 Thermodynamic of fuel  
   cells, 329-247  
 Thermodynamics  
   AMTEC, 274-277  
   first law, 64  
   of hydride systems,  
     490-492  
 Thermoelectric  
   generator, 160  
   generator design, 177-180  
   generators, applications,  
     175  
   heat pumping, maximum,  
     182  
   lowest temperature, 182  
 Thermoelectricity physics,  
   190-199  
 Thermolytic hydrogen,  
   443-451  
 Thermometers,  
   thermoelectric,  
     158-159  
 Thermophilic, 606  
 Thermophotovoltaic cell,  
   645-650  
 Thickness of semiconductor,  
   photocells, 650  
 Thomson coefficient, 194  
 Thomson effect, 158, 190,  
   194-195  
 Thorium, 32  
 Threshold energy, impact  
   ionization, 639  
 Tidal energy, 808-810  
 Tilt angle, 551  
 Time of discharge, rated,  
   375  
 Time offset, 525, 543, 556  
 Time zones, 542-543  
 Tip speed ratio, 747, 758  
 Titration of oil, 580  
 Toftestallen, 807  
 Tokyo Electric Power Co.,  
   303  
 Topocentric system, 525  
 Topping cycle, 177  
 Toshiba fuel cells, 303  
 Total emissivity, heat, 236  
 Total thermal conductivity,  
   169-170  
 Trail, B.C., 435  
 Trans, *cis*, 575, 576  
 Transesterification, 579, 580  
 Transfer coefficient, 368, 370  
 Transport losses, 369-371  
 Transport, electron, 224-231  
 Triene, 571  
 Triethylamine,  $\text{NEt}_3$ , 434  
 Triglycerides, 576  
 Trimethylpentane, 113  
 Triol, 572  
 Triple alpha reaction, 37  
   cold fusion, 42  
 Triple contact, 306, 349  
 Tritium production, 36  
 Tritium/deuterium reaction,  
   34  
 Tropical year, 546, 551  
 Troposkein, 730  
 True anomaly, 547  
 TSA, temperature swing  
   adsorption, 426  
 Tsunamis, 801  
 Tunneling, 246  
 Turbine farms, marine, 814  
 Turbines, 142-143  
 Turbines, ocean current,  
   811-815  
 Turnaround efficiency, 468,  
   475  
 Two-bucket wind turbine,  
   728  
 Type of fuel, fuel cells,  
   295-296

## U

- U.S. Army Research Laboratory, DMFC catalyst, 323
- Ucluelet, 804
- Ultimate efficiency, photocell, 637, 638
- Underground storage, hydrogen, 469, 470
- Unignited mode, 256
- Unipolar electrolyzer, 435, 436
- Units, 1
- Universal time, UT, 543
- University of Washington, superionic conductors, 324
- Unrestrained compression or expansion, 84
- Unsaturated, 571, 574
- Unsaturated thermionic diode, 225
- Unsaturation in biodiesel, 579
- Upper cutoff frequency, 279, 280
- Uptake, carbon dioxide, 611, 612, 613, 614
- Uranium enrichment, 31
- Uranium fission, 30
- Uranium isotopes, 30
- Users of energy, 21
- UTC fuel cells, 303
- Utility
  - (of energy), 2-4
  - scale photovoltaic plants, 629-630
  - scale photovoltaic systems, 628
  - tie electric systems, 626
- Utilization factor, 21
- Utilization of energy, 20-24

## V

- V-I* characteristic
  - AMTEC, 269-272
  - semiconductor diode, 658-660, 663
- V-J* characteristics
  - forward-biased thermionic diodes, 229-230
  - vacuum thermionic generator, 233
  - vapor thermionic generator, 249-255
  - vacuum-state devices, 220
- Vapor
  - diodes (thermionic), 242-246
  - pressure, cesium, 243
  - pressure, sodium, 259, 260
  - pressure, water, 817

- Variable-density wind tunnel, 754
- Variable-speed wind machines, 738
- Vascular aquatic plants, 608, 616
- Vehicle Research Institute, 650
- Velocity
  - induced, 763
  - ocean waves, 800
  - space, 88
- Verhulst equation, 10
- Verhulst, P. F., 10
- Vertical axis turbine
  - analysis, 762-776
- Vinasse, 596
- Virtual emitter, thermionic, 229
- Viscosity, 577
  - coefficient, 752
  - dynamic, 577
  - kinematic, 577
- Viscous forces, 752
- Visible region of the solar spectrum, 521
- Vitruvius, 6
- Voith Siemens, 808
- Volatile solids, 605
- Volta, A., 380
- Voltage dependence on
  - temperature, 345-347
- Voltaic cells, 287, 288
- Volta's cell, 381
- Volumetric concentration, 468, 482
- Volumetric energy density, 325, 377
  - power density, 377
  - storage capacity, 474
- von Siemens, W., 374
- Vortex-type wind machines, 731

## W

- Wake rotation, 746-747
- Walukiewicz, W., 641, 642
- Waste vegetable oil (WVO), 580, 581
- Water
  - dissociation, 443-451
  - hyacinth, 608, 616
  - management, SPFC, 320
  - molecule, 590
  - vapor pressure, 817
- Wave
  - Dragon, 805-806
  - energy (ocean), 799
  - energy converters, 802-808
  - energy converters, offshore, 802-806
  - energy converters, shoreline, 806-808
  - length, ocean wave, 799, 800
  - operated pump, 803
  - Wavegen system, 808
  - Waves, ocean, height, 801
  - Waves, ocean, velocity, 800
  - Waxes, 581
  - Weibull distribution, 734-735
  - Wells turbine, 808
  - Western Washington University, 650
  - Whale oil, 581
  - Whirlpools, 815
  - White (radio) noise, 279
  - Wiedemann-Franz-Lorenz law, 166-169
  - Wien's displacement law, 634
  - Wijs method, 579
  - Wind
    - duration, 799
    - energy, availability, 735-736
    - farms, 724
    - fetch, 799
    - machine configurations, 727-731
    - machine Magnus effect, 730
    - machines, vortex, 731
    - power classes, 736
    - power density, 738
    - power, available, 738
    - pressure, 740
    - tunnel, variable density, 754
    - turbine
      - analysis (propeller), 756-762
      - available power, 741-745
      - characteristics, 736-738
      - configurations, 727-731
      - Darrieus, 730
      - efficiency, 731, 745-748
      - egg beater, 730
      - Persian, 727
      - Savonius, 729
      - two-bucket, 728
    - turbines, drag-type, 727-729
    - turbines, lift type, 729-730
    - turbines, optimal size, 725-726
    - velocity, mean cubic, 731
  - Wing tip losses, 748
  - Wolverton, B. C., 608

Wood, 570  
  composition, 570  
  gasifiers, 594

Wood's metal, 33

Work

  function, 220  
  function, bare, 244  
  in adiabatic expansion, 73  
  in an isothermal process,  
    74

Working electrode, 365

Working fluids, heat  
  engines, 103

## X

Xylose, 583

## Y

Yazdani, S. S., 580

Yount, J. L., 608

YSZ, yttria stabilized  
  zirconia, 306

Yttria stabilized zirconia,  
  YSZ, 306

Yu, K. M., 642

## Z

Z, figure of merit, 162

Zenith angle, 525

ZEV, zero emission vehicle,  
  115

Zinc, 383

Zinc regeneration/refueling  
  system, 326

Zinc-air cells, 288, 325-326

Zincate ion, 325

Ziock, H.-J., 26

ZT product, 171-174