

6990
HORMIGÓN
C:

Technical Report No.

54



Diagnosis of deterioration in concrete structures

Identification of defects,
evaluation and development
of remedial action

Report of a Working Party

 **DETR**
ENVIRONMENT
TRANSPORT
REGIONS

6990
HORMIGON
C:

Diagnosis of deterioration in concrete structures

Identification of defects,
evaluation and development
of remedial action

Report of a Working Party

INTI - CONSTRUCCIONES
BIBLIOTECA

The Concrete Society

CONTENTS

Preface	5	3.4.4 Cracks induced by temperature changes	
List of figures	6	3.4.5 Impact damage	
List of tables	6	3.4.6 Abrasion, erosion and cavitation	
1 INTRODUCTION	7	3.4.7 Deformations	
1.1 Background and scope	7	3.5 Environmental effects	26
1.2 Preliminary considerations	9	3.5.1 Weathering of structures	
2 PRELIMINARY INVESTIGATION	10	3.5.2 Biological growth	
2.1 Planning and preparations for the preliminary inspection	10	3.5.3 Bacteriological attack	
2.1.1 Walk-round survey		3.5.4 Staining	
2.1.2 Safety		3.5.5 Lime leaching	
2.2 Preliminary inspection	10	3.5.6 Freeze-thaw damage	
2.2.1 Introduction		3.5.7 Fire damage	
2.2.2 Inspection		3.6 Deterioration related to aggregate properties	28
2.2.3 Results		3.6.1 Introduction	
2.3 Additional information and preliminary diagnosis	13	3.6.2 Aggregate swelling and shrinkage	
2.3.1 Introduction		3.6.3 Aggregate softening	
2.3.2 Existing records		3.6.4 Alkali-silica reaction	
2.3.3 Design		3.6.5 Chlorides	
2.3.4 Materials		3.6.6 Sulfides	
2.3.5 Construction		3.7 Chemical attack	29
2.3.6 History of the structure		3.7.1 Introduction	
2.3.7 Current and future use of the structure		3.7.2 Sulfates	
2.3.8 Preliminary diagnosis		3.7.3 Chlorides	
3 RECOGNISING DEFECTS AND PROBABLE CAUSES	16	3.7.4 Physical salt weathering	
3.1 Overview	16	3.7.5 Acids	
3.1.1 The causes of deterioration		3.7.6 Other substances	
3.1.2 Factors affecting the type and rate of deterioration		3.8 Reinforcement corrosion	32
3.1.3 Time-scale for appearance of defects		3.8.1 Causes of corrosion initiation	
3.1.4 Relationship between damage and deterioration		3.8.2 Consequences of reinforcement corrosion	
3.2 Types of cracking related to construction	18	3.8.3 The nature of damage	
3.2.1 Introduction		3.8.4 Characteristics of carbonation-induced and chloride-induced corrosion	
3.2.2 Plastic shrinkage cracks		4 TESTING	34
3.2.3 Plastic settlement cracks		4.1 Introduction	34
3.2.4 Early thermal contraction cracks		4.2 Selection of sampling and test locations	34
3.2.5 Cracking		4.3 Access	35
3.2.6 Long-term drying shrinkage cracks		4.4 Sampling and testing	35
3.3 Other defects related to construction	21	4.4.1 Types of test	
3.4 Load-induced cracking and structural design inadequacies	23	4.4.2 Test locations	
3.4.1 Original design		4.4.3 Samples	
3.4.2 Permissible crack widths		4.4.4 Reinstatement of test sites	
3.4.3 Overloading		4.5 In situ testing	37
		4.5.1 Introduction	
		4.5.2 Rebound hammer	
		4.5.3 Crack opening	

4.5.4	Ultrasonic pulse velocity		6.3.6	Re-alkalisation	
4.5.5	Near-surface strength tests		6.3.7	Chloride extraction (desalination)	
4.5.6	Reinforcement depth		7	CASE HISTORIES	55
4.5.7	Ground-probing radar		7.1	Office building	55
4.5.8	Carbonation depth		7.1.1	The problem	
4.5.9	Half-cell potential		7.1.2	Investigation and testing	
4.5.10	Corrosion rate measurement		7.1.3	Evaluation of results	
4.5.11	Resistivity		7.1.4	Remedial action	
4.5.12	Measurement of fluid transport properties		7.2	Car park	55
4.5.13	Electrical potential mapping		7.2.1	The problem	
4.5.14	Radiography		7.2.2	Investigation and testing	
4.5.15	Thermography		7.2.3	Evaluation of results	
4.6	Laboratory testing	42	7.2.4	Remedial actions	
4.6.1	Introduction		7.3	Marine jetty	56
4.6.2	Petrographic tests		7.3.1	The problem	
4.6.3	Water permeability		7.3.2	Investigation and testing	
4.6.4	Gas permeability		7.3.3	Evaluation of results	
4.6.5	Gas diffusion		7.4	Sea wall	57
4.6.6	Chloride diffusion		7.4.1	The problem	
4.6.7	Bulk chloride diffusion		7.4.2	Investigation, testing and evaluation	
4.6.8	The value of measuring transport properties		7.4.3	Remedial action	
4.6.9	Chloride profiles		7.5	Beam damaged by alkali-silica reaction	58
5	EVALUATION	44	REFERENCES		59
5.1	Objectives	44	APPENDICES		62
5.2	Assessment of structural integrity	44	Appendix A Test methods		62
5.3	Interpretation of non-destructive test results	44	A1	Core testing for strength	
5.3.1	General		A2	Near-surface strength tests	
5.3.2	Carbonation depth		A3	Rebound hammer	
5.3.3	Chloride profiles		A4	Ultrasonic pulse velocity	
5.3.4	Concrete strength and density		A5	Dust samples	
5.3.5	Ultrasonic pulse velocity		A6	Water absorption	
5.3.6	Porosity		A7	Chloride diffusion	
5.3.7	Water absorption		A8	Surface and near-surface absorption tests	
5.3.8	Initial surface absorption test		A9	Ground-probing radar	
5.3.9	Water permeability		Appendix B Interpretation of test results		66
5.3.10	Gas permeability		B1	Carbonation rate	
5.3.11	Gas diffusion		B2	Chloride profiles	
5.3.12	Chloride diffusion		B2.1	Introduction	
5.3.13	Electrical potential mapping		B2.2	Prediction of future behaviour	
5.3.14	Resistivity		B3	Concrete strength from cores	
5.3.15	Corrosion rate		B4	Resistivity	
5.4	Use of results	48	B5	Corrosion rate	
5.5	Predicting the behaviour of a structure	48	B6	Permeability coefficient	
6	DEVELOPMENT OF APPROPRIATE SOLUTIONS	49	Appendix C Avoiding faults during construction		69
6.1	Selecting appropriate options	49	C1	Preventing plastic shrinkage cracks	
6.2	Assessing the extent of repairs	50	C2	Preventing plastic settlement cracks	
6.3	Repair and protection techniques	50	C3	Preventing early thermal contraction cracks	
6.3.1	Introduction		C4	Reducing crazing	
6.3.2	Repair with concrete or mortar		C5	Reducing drying shrinkage cracks	
6.3.3	Coatings and sealers		C6	Avoiding construction defects	
6.3.4	Crack filling		Subject index		71
6.3.5	Cathodic protection				